

LAGER BEER.

RESULTS OF ANALYSIS.

Sp. Gr. at 5° 15'	Sp. Gr. of Distillate at 15° 5'	Sp. Gr. of Decolorized residue	Alcohol.			Sp. Gr. of Original Wort.	Malt used, lbs. per Gallon.	Total Solids in Beer (determined.)	Residual Solids (from tables).	Solids in Original Wort.	Degree of Fermentation.	Preservatives.	No. of Sample.	Remarks and Opinion of the Chief Analyst.
			By Weight.	By Volume.	As proof spirit.									

T. KIDD, INSPECTOR.

			p. c.	p. c.	p. c.			p. c.	p. c.	p. c.			
1.0094	0.9940	1.0152	3.41	4.27	7.49	1.0303	1.77	3.40	3.79	9.82	61.4	30685
1.0161	0.9940	1.0227	3.41	4.27	7.49	1.0468	2.10	5.35	5.66	11.71	51.6	30693
.	30801
1.0157	0.9947	1.0209	3.00	3.76	6.58	1.0418	1.88	4.82	5.21	10.45	50.1	30812

JNO. TALBOT, INSPECTOR.

1.0172	0.9939	1.0230	3.47	4.34	7.61	1.0476	2.14	5.41	5.74	11.91	51.8	35975
1.0131	0.9941	1.0191	3.35	4.20	7.36	1.0427	1.92	4.37	4.76	10.68	55.4	35976
1.0164	0.9945	1.0221	3.12	3.90	6.84	1.0439	1.97	5.13	5.51	10.98	49.8	35977
1.0146	0.9943	1.0200	3.24	4.05	7.10	1.0127	1.92	4.70	4.99	10.68	53.3	35978
1.0096	0.9927	1.0167	4.19	5.24	9.15	1.0469	2.11	3.78	4.16	11.74	64.5	35979

A. C. LARIVIERE, INSPECTOR.

1.0155	0.9910	1.0208	3.41	4.27	7.49	1.0449	2.02	4.70	5.19	11.23	53.8	39746
1.0144	0.9938	1.0203	3.53	4.42	7.74	1.0455	2.05	4.62	5.11	11.38	55.1	39747
1.0180	0.9945	1.0233	3.12	3.90	6.84	1.0451	2.03	5.42	5.81	11.28	4.85	39748

R. W. FLETCHER, INSPECTOR.

1.0161	0.9942	1.0218	3.29	4.12	7.23	1.0449	2.02	5.32	5.44	11.23	51.5	35574
1.0157	0.9939	1.0220	3.47	4.34	7.61	1.0466	2.10	5.22	5.49	11.66	52.9	35578
1.0137	0.9937	1.0199	3.59	4.49	7.87	1.0154	2.01	4.73	4.96	11.36	56.3	35579
1.0110	0.9936	1.0174	3.65	4.56	8.00	1.0434	1.95	4.05	4.34	10.85	60.0	35580
1.0151	0.9934	1.0215	3.76	4.71	8.26	1.0434	2.18	5.22	5.36	12.11	55.7	35581

* Sample not received.