



REFERENCE

- [illegible]

Use diagram only to obtain numerical values.
 APPROXIMATE MEAN DECLINATION 1952
 FOR CENTRE OF SHEET
 Annual magnetic change 2' easterly

TO GIVE GRID REFERENCE ON THIS SHEET

FIGURES. IGNORE the SMALLER figures printed around the margin of the map. These are for finding the full co-ordinates.

TO GIVE THE BIGGER FIGURES. PRINTED IN THE MARGIN OF THE FACE OF THE MAP. Viz. 5013

POINT		SCHOOL	
FOR STANDARD MILITARY GRID REFERENCE			
East	North	East	North
Take West edge of square in which point lies, and where the figure printed opposite North margin or on the line itself on the face of the map. <i>Example: line 5</i>	51	Take South edge of square in which point lies, and where the figure printed opposite East margin or on the line itself on the face of the map. <i>Example: point 2</i>	20
East	513	East	205

STANDARD MILITARY GRID REFERENCE

513205

To nearest 100 metres

1000 Metres

ONE THOUSAND METRE
UNIVERSAL TRANSVERSE MERCATOR GRID
ZONE 18

INDEX TO ADJOINING SHEETS

	77°00'	76°00'
31°30'	31°11'	31°10'
	31°6'	31°7'
	31°3'	31°2'

See "Index to Maps Available"
for sheets published.

Note: Copies of this map required for official purposes may be obtained from the Army Survey Est. AHQ, Ottawa.

The general public may obtain copies from the Map Distribution Office, Dept. of Mines and Technical Surveys, Ottawa, at 25 cents per copy.

RENFREW
ONTARIO
31^{F/7} WEST HALF
SECOND EDITION

Based on control by the Topographical Survey,
Dept. of Mines and Technical Surveys 1936
and the Army Survey Est. R.C.E. 1946.
Topography, compilation, cartography and reproduction
for the second edition by the Army Survey Est. R.C.E. 1950-52.

MAGNETIC DECLINATION $12^{\circ} 20'$ WEST
AT CENTRE OF SHEET, 1952
Annual magnetic change $2'$ easterly

Scale 1:50,000

1 1/2 0 Miles

1000 500 0 1000 2000 3000 4000 Metres

1000 500 0 1000 2000 3000 4000 Yards

CONTOUR INTERVAL 25 FEET

CONVERSION SCALE FOR ELEVATIONS

Metres

Feet

GEOG. 65

SUPERSEDED
EDITION