

*Empria contexta*, n. sp.—Female. Clypeus with a median carina and a broad median tooth, the lobes broadly rounded; the antennal furrows interrupted; the ocellar basin flat, not reaching the median ocellus, the median fovea a small, pin-hole puncture; the ocellar and interocellar furrows distinct; the third segment of the antennæ longer than the fourth; the saw-guides straight above, convex below, squarely, slightly obliquely, truncated at apex with the lower angles rounded; the body black with the clypeus, labrum, collar, and tegulæ white; the front and middle legs more or less yellowish infuscated. Length, 6mm.

Habitat.—Colorado. Professor C. F. Baker, collector.

*Empria kincaidii* MacG.—Female. Clypeus with a median carina, emarginate with a median tooth, lobes rounded; antennal furrows interrupted; ocellar basin extending to the median ocellus, ending ventrally at the dorsal margin of the antennal foveæ, broad and flat with a median carina; the median fovea wanting or very indistinct; the saw-guides convex above and below, slightly obliquely, convexly rounded at apex.

This species was originally described as *Monostegia kincaidii* from one male and seven female specimens. A re-examination of this material has shown it to be a composite of several species.

*Empria curata*, n. sp.—Female. Clypeus with a median carina, deeply, angularly emarginate, with a distinct tooth, the lobes angular; the ocellar basin diamond-shaped on its lower half, constricted above by a pair of rounded, mound-shaped elevations situated below the median ocellus; the median fovea a broad pit, situated above the dorsal margin of the antennal foveæ; the antennal furrows interrupted; the ocellar and interocellar furrows distinct; the antennæ with the third segment longer than the fourth; the saw-guides straight above and below, obliquely rounded at apex; body black with the collar white, the front legs below the knees more or less rufous. Length, 7 mm.

Habitat.—Olympia, Washington. Professor Trevor Kincaid, collector.

*Empria cuneata*, n. sp.—Female. Clypeus with a median carina, deeply, angularly emarginate with a median tooth, the lobes angular; the ocellar basin linear, slightly wider below, the median fovea deep; the ocellar furrow distinct, the interocellar furrow continued below the median ocellus to the middle of the ocellar basin; the third segment of the antennæ longer than the fourth; the saw-guides straight above, straight and oblique below, slightly, obliquely rounded at apex; the body black,