125. C. ROTUNDIFOLIA, Michx.

Springy wood. Billings Bridge. This is a weak-stemmed few-flowered plant with angular root leaves upon long petioles. Stem fleshy at the base. May—3.

129. C. PRATENSIS, L. (Ladies' smock. "Cuckoo-pint.")

Peat-logs and wet meadows. Dow's swamp. Billings Bridge. Beechwood. Lake Flora, (J. F.); Janeville, (R. B Whyte). The Canadian plant, as noticed in Macoun's catalogue, is more slender than the European, and also white-flowered. Young plants are produced in great abundance from the leaflets which fall off and float on the top of the water. May—2. (B.)

130. C. HIRSUTA, L. (Small Bitter cress.)

Low ground and springy woods. An inconspicuous plant with a very inappropriate name, being almost glabrous. June—2.

ARABIS, L. Rock-Cress.

135. A HIRSUTA, Scot. (Hairy Rock-cress.)

Rocky open woods and pastures. Little Chaudiere. Brittannia. Hull. Aylmer. Chelsea, &c. May—4.

138. A. Drummondii, Gray. (Tower-mustard.)

Rocky pastures. A large distinct species. May-4. (B.)

140. A. PERFOLIATA, Law. (Smooth Tower-mustard.)

Sandy woods and pastures. A tall slender plant with yellowish flowers and leaves only apparently, not really, perfoliate.

June —2.

141. A LÆVIGATA, Poir.

Mountain side. King's Mountain, Chelsea, P.Q. June.

BARBARÆA, R. Br. Winter-cress.

145. B. VULGARIS, R. Br. (Yellow Rocket.)

On rocks and by waysides. Lovers' Walk. New Edinburgh. Billings Bridge. Ju.—3.

var. stricta, Regel (Native winter-cress.)

Swampy woods. Beechwood. A much less conspicuous plant than the type, with slender stem and small flowers. Ju.—2.

ERYSIMUM, L. Treacle Mustard.

146. E. CHEIRANTHOIDES, L. (Worm-seed Mustard.) Everywhere. June. (B.)