

humeral line, line below the wings and scutellum white; legs rufous, except coxæ and trochanters and knees, tarsi and apex of tibiæ of hind legs, which are fuscous. Remainder of insect as described in the table. A quite distinct species.

*Habitat*.—White Haven, Luzerne Co., Pa., Aug. 15, 1902. (Taken by the author.)

*Type*.—One female, in the author's collection.

13. *P. SIGNATUS*, Provancher, ♀.

1874. *Phygadeuon signatus*, Provancher. Nat. Can., VI., p. 282.

1877. *Platylabus signatus*, Cresson. Tr. Am. Ent. Soc., VI., p. 200. Figure 7.

*Habitat*.—P. Que., Canada.

14. *P. ORNATUS*, Provancher, ♀.

1875. *Phygadeuon ornatus*, Provancher, ♀. Nat. Can., VII., p. 181.

1877. *Platylabus ornatus*, Cresson. Tr. Am. Ent. Soc., VI., p. 200. Figure 8.

*Habitat*.—P. Que., Canada.

15. *P. BAKERI*, Davis, ♂.

1897. *Platylabus Bakeri*, Davis, ♂. Tr. Am. Ent. Soc., XXIV., p. 352.

*Habitat*.—Ann Arbor, Mich. (Baker).

16. *P. LINEOLATUS*, Provancher, ♀.

1875. *Ichneumon lineolatus*, Provancher. Nat. Can., VII., p. 82.

1875. *Phygadeuon rufipes*, Provancher. Nat. Can., VII., p. 181.

1877. *Platylabus lineolatus*, Cresson. Tr. Am. Ent. Soc., VI., p. 201. Figure 9.

*Habitat*.—P. Que., Canada.

17. *P. CALIFORNICUS*, Cresson, ♀.

1877. *Platylabus californicus*, ♀. Tr. Am. Ent. Soc., VI., p. 201.

Close to the preceding species. Figure 10.

*Habitat*.—California.

*Types*.—In the collection of the American Entomological Society.

18. *P. OPACITUS*, Davis, ♂.

1897. *Platylabus opacitus*, Davis. Tr. Am. Ent. Soc., XXIV., p. 353.

*Habitat*.—Moscow, Idaho (Aldrich).