

of hay fever, containing practical chapters on the disease, indications for treatment, preventive measures, etc. Physicians will do well to write for this pamphlet, addressing the company at Walkerville, Ont., or at branch, 378 St. Paul St., Montreal, Que.

---

### GOOD RESULTS IN STUBBORN CASES.

Every physician knows full well the advantages to be derived from the use of antikamnia in very many diseases, but a number of them are still lacking a knowledge of the fact that antikamnia in combination with various remedies has a peculiarly happy effect. Particularly is this the case when combined with salol. Salol is a most valuable remedy in many affections and its usefulness seems to be enhanced by combining it with antikamnia. The rheumatoid conditions so often seen in various manifestations are wonderfully relieved by the use of this combination, and the painful stiffness of the joints which remains after a rheumatic attack are also relieved by "Antikamnia and Salol Tablets," containing  $2\frac{1}{2}$  grs. each of antikamnia and of salol and the dose of which is one or two every two or three hours. Salol neutralizes the uric acid and clears up the urine. The pain and burning of cystitis is relieved to a marked degree by the administration of these tablets. This remedy is also reliable in the treatment of diarrhœa, entero colitis, dysentery, etc. In dysentery where there are bloody, slimy discharges, with tormina and tenesmus, a good dose of sulphate of magnesia, followed by two antikamnia and salol tablets every three hours will give results that are gratifying.

---

### ANTISEPTIC ALCOHOL FOR EXTERNAL USE.

The advance in science has at last made it possible to remove from Wood Alcohol the objectional and impure parts which have heretofore made it unfit for application on the body on account of its peculiar odor.

Crude Wood Alcohol contains many products, acetone, aldehyde, creosote and keytone oils. By a special apparatus these various products are entirely removed from the alcohol leaving it a chemically pure methyl alcohol.

It may be of interest to know that *Squire's Companion to the British Pharmacopœia* prescribes ordinary wood alcohol internally in doses of 5 to 10 minims and the *British Pharmaceutical Codex* prescribes pure methyl alcohol internally from 30 to 60 minims, and while we do not