

TABLE OF MYELOID TUMORS.

No.	AGE.	SEX.	SITE PRIMARY GROWTH.	CAUSE.	SURVIVED 1ST REMOVAL.	SURVIVED 1ST DISCOVERY.	RECURRENCE.	DATE LAST REMOVAL.	AUTHORITY.	ARTICULATION ADJOINING.
14			Do.						Do.	Do.
15			Do.						Do.	Healthy.
16	30	M.	Head fibula.	No cause known.	Left in 1 month.	Alive 6 mos. after tumor appeared.	Not known after a month.	Nov., '56.	Mr. Cook and Dr. Wilks, Guy's Hosp. Rep., vol. IV.	Cartilage healthy.
17	27	F.	Acromion process.	None known; fell 15 months afterwards.	Alive 1½ years after.	(2 yrs. after tumor appeared) but symptoms (1½ previously).	None for 1½ years.	Jan., '56.	Do.	Do.
18	36	M.	Lower end radius.	None known; subjected to rheumatism.	Died in 3 weeks.	7 months.	None.	Sept., '40.	Mr. Key, & Do.	Do.
19	42	M.	Condyles femur.	Blow.	{ Alive 2 months after.	2 yrs. after blow.	None for 2 mos.	Dec., '58.	Dr. Butler and R. P. Howard, Med. Chronicle, March, 1839.	{ Adhesions between articular surface
20	40	M.	Do.	Not stated.	Not stated.	{ Supposed between 2 and 3 years, but not certain.	{ Thought to have died of cholera 5 or 6 mos. after.	March, '54.	Dr. Scott and R. P. Howard, Med. Chronicle, March, 1839.	Healthy.
21	M.	18	{ Lower maxilla-symphysis.	Do.	Alive 6 yrs. after.	6½ years.	None for 6 years.		Mr. Stanley, Paget's surg. Path., p. 430, Am. Ed.	
22	F.	21	Alveoli of superior maxilla.	Do.	Alive 2 yrs. after.	Alive 3 yrs. after.	None for 2 years.		Mr. Lawrence.—Do.	
23	F.	22	Superior maxilla.	Do.	{ Alive about 2½ years.	{ Alive about 3½ years after.	{ None for 2½ yrs after complete removal.	April, '51.	Do.	
24	15	M.	Vault skull.	Repeated blows.		{ 3 years; died with head symptoms.	None.		Mr. Stanley, Do.	
25	14	F.	Inferior maxilla.	None known.	Not stated.	Not stated.	None.	Nov., '42.	Lebert's Phy. Path., vol. ii, p. 144.	
26			Do.						Do, p. 144.	
27	23	F.	Condyles femur and shaft.	No cause.	Not stated.	{ Alive 2 yrs. after swelling noticed, and 2½ after pain was first felt.	Not stated.	Dec., '56.	Mr. B. Childs and Dr. Bristow, Path. Trans., vol. vii.	{ A few old adhesions between surfaces.
28	36	M.	{ Condyles femur, patella and head tibia.		{ 10 years and not said to be dead,	16 years.	None for 10 years.		Sir B. Brodie and Mr. Gray, Med. Chirurgical Trans., vol. 39.	{ Disease had extended into joint and attacked patella and tibia.

Mr. Ward and Mr. A.

(Healthy; except

Not stated:

Not stated

Not stated

Not stated

Not stated

Not stated

Not stated

Not stated

Not stated

Not stated

Not stated