

darker and of a warm greyish tint. Both ducks are very destructive to fish and are therefore disliked by the fishermen. They are known to gunners as sawbills, and their flesh is rank and unpalatable.

ORNITHOLOGICAL NOTES.

During the past season I investigated an unusual nesting site of our common black duck (*Anas obscura*). This well known and extensively distributed species usually builds its nest on the ground, but last June I visited an island in the St. Lawrence where a pair had taken possession of a last year's crow's nest and successfully brought off their brood. The nest, which was built after the usual style of crow architecture, was saddled on a limb of a hugh elm, forty feet from the ground, and was reached after a difficult climb with climbing irons. A liberal supply of down had been furnished by the duck and incubation was well advanced. Just how frequently such nesting sites are resorted to by these ducks it is difficult to say; had the bird not been accidentally observed flying to the tree her presence would never have been suspected. I photographed the nest containing the ten eggs, but owing to the extremely awkward position in which I had to make the exposure only eight are shown. The duck sat very close and did not leave the nest until I was within a few feet of it.

THE BLACK GUILLEMOT (*Cephus grylle*).—June 10th last, while walking along the harbor front, I saw a black guillemot swimming rapidly toward the open lake. I believe this is the first instance of this species having been observed in this locality. Speaking of this bird in 1885 the late Mr. McIlwraith, in "Birds of Ontario," says one was shot in Hamilton Bay many years ago, and according to the Catalogue of Canadian Birds one was taken at Toronto in 1885. These seem to complete our records for Ontario. While at the Magdalen Islands last year I saw many flocks; they are swift flyers and expert divers. Unfortunately, a large percentage of the guillemots that occasionally stray as far west as Lake Ontario die of starvation, so often the common fate of sea birds that wander so far from their natural habitat.

E. BEAUPRÉ.

Kingston, Oct., 1904.