punctures, margin of clypeus smooth, convex. Mandibles tridentate, lower tooth rounded.

Thoracic dorsum finely reticulate, bluish-green, metallic, parapsidal furrows impressed, the median portion of the mesonotum extending further back than the lateral piece, and broadly rounded behind, scutellum rounded in front, widely separating the axillæ, margined and evenly rounded behind, the transverse stria distinct; axillæ prominent, acute mesally and rounded in front. Thoracic pleura delicately sculptured except metepisternum and the sclerites behind it. Propodium short, transverse, nearly smooth, very finely rugulose longitudinally. Spiracles oblique, elliptical.

Scape and pedicel of antennæ metallic, scape finely shingled, funicle dark brown, clothed with short but stout hairs, scape rather short, slender, pedicel obconic, about as long as first joint of funicle, succeeding joints subequal, gradually wider, club obtusely rounded, white longitudinal ridges on funicle joints, with their bases in one row, and all extend to tip of segment.

Legs metallic-green; knees, tip of tibiæ and tarsi dull, whitishyellow, last tarsal joint somewhat dusky; posterior coxæ irregularly reticulate. Wings hyaline, stigmal vein shorter than diameter of club, the four sensoria arranged in a curved line, concave behind.

Abdomen seen from above conic-oval, bluish-green, metallic, second dorsal segment smooth, posterior segments with a hexagonal pavement-like sculpture, posterior margin biconvex, very deeply incised at middle, segment 5 longer than 3 and 4 together, posterior margin of 3 deeply incised, 4 and 5 less deeply, 6 truncate behind. Cerci bearing several long, stiff hairs. Ovipositor dark brown, tip lighter.

Male.—Length, 1.2 mm.; abdomen, .8 mm. Resembles the female very closely in colour. The antennæ are somewhat stouter. Posterior margin of abdominal segments not so deeply incised as in female.

Described from numerous specimens reared from timothy grass and orchard grass. Parasitic on an Isosoma and another Chalcid as yet undetermined.

Ithaca, Amsterdam, Lake Keuka, Oneonta, Kingston, Cranberry Creek, Remsen, Elmira, Lowville, Bluff Point, Cortland, and Victor, N. Y. Types in Cornell University collection.