TABLE I.—RETROPERITONEAL LIPOMATA.—CASES

AUTHORITY.	AGE AND SEX.	DURATION OF GROWTH.	GENERAL SYMPTOMS.	FLUCTUA-	RELATIONSHIP OF COLON,
1. Morgagni 1760.	F. 60	Several months.	Not given.	Not stated.	Not stated.
2. Moynier 1850.	F. 47	Notknown.	Suffered from cancer of uterus ending in peritonitis.	Not stated.	Descend g colon in front.
3. Spencer Wells 1868.	F. 43	Several years.		Not stated.	Ascend'g colon passed to left.
4. Bruntzel 1882.	F. 33	5 or 8 years.	Good health for several years; progressive ema- ciation; latterly pains down left lower limb.		Descend'gcolon adherent to left side of growth an- teriorly.
5. Wigglesworth 1883.	F. 43	2 years.	Emaciation ; dyspnœa.	Yes.	Not stated.
6. KUMMELL	M. 38	3 years.	Rapid growth during last few months; no symp- toms mentioned.	Yes.	Colon crossed front of tue mour.
7. Salžer (1) 1888. Kundrat's case.	M. Mid. Age.	Veryslowly growing.	Not given.	Yes.	Descend'gcolon in front
8. Salzer (2) Kolisko's case.	F. 53	Not stated.	Not given.	No.	Not stated.
9. SALZER (3) Billroth's case.	M. 40	2 years.	Growth progressive, pain- less; good appetite; regu- lar motions; no vomiting or icterus; great emacia- tion; ædema of lower limbs for last year.		Descend'gcolon in front.
10. THIRIAR	F. 63		ilmos for last year.		<u> </u>
11. TILLMAN	F. 28	1 year.	Growth more rapid during later months, with dysuria.	Yes.	Descend'geolon and sigmoid in front.
12. Monod	м. —	Not stated.	Not stated.	Not stated.	Not stated.
13. AUTHOR Dr. Hanna's case.	M. 45	13 months.	Growth progressive and painless; appetite good; no digestive troubles; suppuration of part of growth; towards end slight ædema of legs.		Descend'gcolon in groove: pass'g across front.
14. AUTHORArmy Museum case.	M. 60	2 years.	Steady painless growth; no disturbance of general functions.	Not stated.	Not stated clearly.