

SPIRITUS ÆTHERIS NITROSI.

Inspector's Report (Is not an expression of opinion.)	RESULTS OF ANALYSIS.			No. of Sample.	Remarks and opinion of the Chief Analyst.
	Sp. gr. at 15°C.	Ratio of vol. of gas to vol. of liquid.	Ethyl Nitrite per cent by weight.		

R. J. WAUGH—INSPECTOR.

.....	0.8590	5.5	2.03	46731	Genuine.
.....	0.8443	5.6	2.08	46732	"
.....	0.8420	2.6	0.97	46733	Adulterated.
.....	0.8428	4.7	1.75	46734	Genuine.
.....	0.8438	3.0	1.12	46740	Adulterated.

WM. A. WEEKS—INSPECTOR.

.....	p. c.	p. c.	p. c.		
.....	0.8593	5.1	1.86	46101	Genuine.
Tincture obtained from Lymann, Ltd. & alcohol added by vendor to make the spirit.	0.8343	5.7	2.16	46102	"
.....	0.8680	5.5	2.02	46103	"
.....	0.8441	7.8	2.94	46104	"

J. C. FERGUSON—INSPECTOR.

.....	0.8471	7.5	2.79	45535	Genuine.
.....	0.8523	4.9	1.85	45536	"
.....	0.8269	10.9	4.23	45537	"
.....	0.8338	11.0	4.22	45538	"
.....	0.8449	2.6	0.99	45539	Adulterated.

F. X. W. E. BELAND—INSPECTOR.

.....	0.9509	0.0	0.0	36993	Adulterated. Contains no ethyl nitrite.
.....	0.8562	3.5	1.25	36994	Adulterated.
.....	0.8326	0.6	1.2	36995	"
.....	0.8251	0.9	0.34	36996	"
.....	0.8560	1.5	0.54	36997	"