

MADIA SATIVA, Mol., var. *CONGESTA*, Gray.

Specimens (Herb. No. 466) collected by Prof. Macoun at Beacon Hill, Victoria, Vancouver Island, Aug. 7th, 1893, and referred by him to this variety have been submitted to Dr. Robinson, who says, "a form showing characters of var. *congesta* (as to inflorescence) and var. *racemosa* (as to leaves and pubescence.)"

HEMIZONELLA DURANDI, Gray.

Hillsides at Sproat, Columbia River, B.C., 1890. (*John Macoun.*) New to Canada.

COTULA AUSTRALIS, Hook., f.

Ballast heaps at Nanaimo, Vancouver Island, 1893. (*John Macoun*, Herb. No. 476.) New to Canada.

ARTEMISIA RICHARDSONIANA, Bess.

Mount Rapho, Lat. $56^{\circ} 13'$, Long. $131^{\circ} 36'$, alt. 3,800 ft., July, 1894. (*Otto Klotz* and *H. W. E. Canavan*, Herb. No. 4,191.)

ARNICA LATIFOLIA, Bong. var. *VISCIDULA*, Gray.

Woods at Roger's Pass, Selkirk Mts., B.C., alt. 4,500 ft., 1890. (*John Macoun.*) New to Canada.

CENTAUREA PANICULATA, L.

Dry waysides, Victoria, Vancouver Island, 1893. (*John Macoun*, Herb. No. 552.) New to Canada.

CASSIOPE STELLERIANA, DC.

Mt. Rapho, Lat. $56^{\circ} 13'$, Long. $131^{\circ} 36'$. Alt. 3,800 ft. In flower July 10th, 1894. (*Otto Klotz* and *H. W. E. Canavan*, Herb. No. 4,195.) First Canadian record.

PRIMULA CUNEIFOLIA, Ledeb.

Mt. Rapho, Lat. $56^{\circ} 13'$, Long. $131^{\circ} 36'$. Alt. 3,800 ft. In flower July 10th, 1894. (*Otto Klotz* and *H. W. E. Canavan*, Herb. 4,192.) New to Canada.

COLLINSIA VERNA, Nutt.

In woods near Plover Mills, Ont. In great abundance in