## THE DIPTERA OF BRITISH COLUMBIA.

Second Part.—The Syrphidae.

BY RAYMOND C. OSBURN, NEW YORK.

(Continued from page 220.)

- 43. Sphærophoria micrura, Osten Sacken.—Two females from Port Renfrew, one July 6, 1901, the other Aug. 16, 1902. The male was taken at Seattle, Wash., July 15, 1901.
- 44. Spharophoria sulphuripes (Thompson).—One male specimen, taken at Glacier, July 20, 1901, belongs here questionably. It lacks the characteristic bunch of yellow pile on the hypopygium of cylindrica, but otherwise resembles that species quite closely.
- 45. Sphærophoria melanosa, Williston.—A single specimen taken by Harvey at Vancouver, May 30, 1903, agree quite well with Williston's description, except that the cheeks are brownish instead of shining black.
- 46. Sphegina infuscata, Loew.—Not common. Port Renfrew, July 6, 1901. A specimen from Mr. Harvey, Vancouver, April 12, 1902. Taken at Lowe Inlet by Kincaid, June 3 (Coquillett, 1900). The writer has taken the species also at Laggan, Alberta, Aug. 23, 1902. Two other specimens taken by Harvey, one at Vancouver, March 28, 1903, and one at Wellington, I place here provisionally. They are much larger and darker than the typical form, and may be distinct.
- 47. Sphegina lobata, Loew.—Not common. Port Renfrew, July 3, 1901; Glacier, Aug. 20, 1902. These show no difference from Ohio specimens.
- 48. Baccha obscuricornis, Loew.—A single specimen from Port Renfrew, July, 1901; one specimen from Harvey, Vancouver, May 30, 1903. Taken at Lowe Inlet by Kincaid, June 3 (Coquillett, 1900). A single specimen was taken also by the writer at Seattle, July 15, 1901.
- 49. Myiolepta bella, Williston. A single specimen of this fine species taken at Port Renfrew, June 30, 1901.
- 50. Volucella facialis, Williston.—Taken by Harvey at Vancouver, May 17, 1902, and May 30, 1903. The writer has taken the species at Banff, Alberta, July 17, 1902.