stopping the lower orifice of the duct, so that we could neither pass a probe nor force water through it. Dr. Fraser took some of the infiltrated tissue and some of the nodules for microscopical examination, and found them to be epitheliomatous, though in this case the impairment of health and death were due, not to the malignant disease *per se*, but to its mechanical interference with physiological functions. The pancreas entered the duodenum by a separate duct, and was in no way involved.

The following are amounts of bile discharged each day from the time we were able to obtain it all so as to measure correctly:

Day,	MARCH.		APRIL.		MAY.	
	Ounces of Bile.	Ounces of Urine.	Ounces of Bile.	Ounces of Urine.	Ounces of Bile.	Ounces of Urine.
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31	20 35 37½ 36 34½ 30 37½ 41 29 30 38 42¼ 42 43 36 38 42¼ 42 43 36 38	Urine not collected	41½ 41½ 38 442½ 38 442½ 45 468 45 458 45 468 45 468 45 468 45 468 45 468 45 468 45 468 45 468 468 47 47 48 48 48 48 48 48 48 48 48 48 48 48 48	30 22 40 36 22 19 ¹ / ₂ 17 ¹ / ₂ 21 ¹ / ₂	183-12 40 603-12 77 42 88 53 55 76 60 52 24 24 27 26 21 21 21 21 21 21 21 22 23 24 23 24 25 26 27 28 28 29 20 21 21 21 21 21 21 21 21 21 21	40 26 20 18 25 14 17 18 17 18 27 38 16 31 20 15 42 33 42 33 42 35 47 15 16 110 110 110 110 110 110 110 110 110