

A LIST of the more prominent Canadian

Common Name.	Botanical Name, Origin.	Where Injurious.	Duration.	Time of Flowering	Time of Seeding.
Heap-nettle PLANTAIN FAMILY.	<i>Galeopsis Tetrahit</i> , L., Europe.	General . .	Annual, 1-3 ft.	July-Sept.	July-Sept.
Common plantain . . .	<i>Plantago major</i> , L., native and Europe.	" . .	Perennial, 6-18 in.	June-Sept.	"
Pale plantain	<i>Plantago Rugellii</i> , Decaisne, native.	" . .	" . .	"	"
Rib grass, black plantain, ripple grass . .	<i>Plantago lanceolata</i> , L., Europe.	" . .	" . .	"	"
GOOSEFOOT FAMILY.					
Lamb's quarters, pigweed, goosefoot, fat-hen.	<i>Chenopodium album</i> , L., Europe and native.	" . .	Annual, 1-3 ft.	June-Nov.	Aug-Nov.
Maple-leaved goosefoot.	<i>Chenopodium hybridum</i> , L., Europe.	" . .	Annual, 1-5 ft.	July-Nov.	"
Bugseed	<i>Corispermum hyssopifolium</i> , L., native.	Prairie Provinces	Annual, Spreading.	Aug-Oct.	Sept-Oct.
* Russian tumbleweed, Russian thistle.	<i>Salsola kali</i> , L., var. <i>Tragus</i> , Russia.	Southern Manitoba.	Annual, 1-3 ft.	July-Sept.	Aug-Nov.
* Russian pigweed . . .	<i>Achyris amarantoides</i> , L., Russia.	Manitoba.	Annual, 1-4 ft.	"	"
AMARANTH FAMILY.					
Pigweed, redroot, Chinaman's green.	<i>Amarantus retroflexus</i> , L., Tropical America.	General . .	Annual, 1-3 ft.	"	"
Tumbleweed, white pigweed.	<i>Amarantus albus</i> , L., Tropical America.	" . .	Annual, prostrate or ascending.	July-Sept.	Aug-Sept.
Spreading amaranth, fleshy amaranth, low amaranth.	<i>Amarantus blitoides</i> , Watson, native.	Prairie Provinces, Ontario.	" . .	"	"
BUCKWHEAT FAMILY.					
Nodding knotweed, tall persicary.	<i>Polygonum lapathifolium</i> , Ait, native.	General . .	Annual, 1-4 ft.	July-Sept.	Aug-Sept.
Lady's thumb, persicary .	<i>Polygonum Persicaria</i> , L., Europe.	" . .	Annual, 12-18 in., ascending.	"	"
Knotgrass, goosegrass, door-weed.	<i>Polygonum aviculare</i> , L., native, Europe.	" . .	Annual, 12-18 in., prostrate.	"	July-Sept.
Erect goosegrass, whiteman's footstep	<i>Polygonum erectum</i> , L., native.	Prairie Provinces, Ontario.	Annual, 6-10 in.	"	"
Wild buckwheat, black bind-weed.	<i>Polygonum convolvulus</i> , L., Europe.	General . .	Annual, climber, 1-3 ft.	"	"
White dock	<i>Rumex salicifolius</i> , Weinm, native.	Prairie Provinces.	Perennial, 1-3 ft.	July-Aug.	Aug-Sept.
Curled dock, sour dock, yellow dock.	<i>Rumex crispus</i> , L., Europe.	General . .	Perennial, 1-3 ft.	"	"