

since Aug. 1st. Each have six or seven paroxysms every day and as many at night. Girl is teething.

To place carbolic acid about the beds as before, and the boy to take 3 m, with cardamoms and syrup, ter in die ; girl to take half the dose.

*Aug. 23rd.*—Boy began to improve in a couple of days, and is now almost well, the whoop having left completely ; but he coughs once or twice a day. Appetite good. The girl improved also for a few days, but seems now in much the same state as at first, excepting an improvement in the appetite.

*Aug. 28th.*—Girl completely well, and no whoop.

*Sept. 20th, '78.*—Saw two children of Mrs. D., æt. 8 and 6 years, females. Have been whooping for eight days. Three or four attacks in the day and six or seven at night, but otherwise the health is good. I ordered  $\frac{1}{2}$  m carbolic acid four times a day in glycerine and cardamoms. In three or four days it was noticed that the seizures were less frequent at night, and so it went on till in some twelve days the spasms were entirely relieved and did not return.

*Nov. 12th.*—Have continued well.

*Sept. 4th, '78.*—Child of Mr. B.'s, æt.  $2\frac{1}{2}$  years, has had a cold for two weeks or more, and began to whoop distinctly on Sept. 1st. Three or four seizures each day and two or three at night, and are increasing in severity. Ordered  $\frac{1}{2}$  m carbolic acid in glycerine, cardamoms and syrup every three hours.

*Sept. 7th.*—Cough has ceased at night almost completely, and in a few days the whoop entirely disappeared.

*18th.*—Not taking any medicine now, and the cough is still present to a slight degree, but no whoop.

*Aug. 29th, '78.*—Child of Mrs. G., æt. 1 year, has had whooping-cough since Aug. 1st. Put him on  $\frac{1}{2}$  m carbolic acid in glycerine and cardamoms every 3 hours.

*Sept. 2nd.*—Improving in every way ; bowels becoming regular ; only coughs once or twice a day.

*Sept. 4th.*—Improved since 2nd ; no whoop ; cough subsided in a few days more.