

PLATE XXXII.

OSTREA SKIDEGATENSIS (page 243).

- Figure 1. A clustered specimen from the south side of Alliford Bay, as viewed from above.

GRYPHÆA NEBRASCENSIS, Meek & Hayden, (page 244).

- Figure 2. Specimen from the south end of Alliford Bay.
" 2 a. Another view of the same, to show the smaller and flatter valve.
" 2 b. " " " " amount of the convexity of the convex valve and its strongly incurved beak.

INOCERAMUS (*ACTINOCERAMUS*) *SULCATUS*, Parkinson, (page 241).

- Figure 3. Side view of a specimen from Bear Skin Bay Skidegate Inlet, showing the right valve and part of the left.
" 3 a. Another view of the same specimen, showing the left valve only.

CAMPTONECTES CURVATUS, Geinitz, (page 242).

- Figure 4. A right or under valve, from the east end of Maud Island.

AMUSIUM LENTICULARE (page 242).

- Figure 5. An upper valve from Cumshewa Inlet with both ears well preserved. A portion of the sculpture, magnified, is represented on the right hand side of the lower part of the figure.

LITHODOMUS MAUDENSIS (page 237).

- Figure 6. Side view of a specimen from the east end of Maud Island, somewhat enlarged.
" 6 a. Another view of the same, to show the amount of convexity of the closed valves.