G—*Continued.*

Inspected during the Year ended 30th June, 1893.

100 Cubic Feet.			Ammonia per 100 Cubic Feet.						Sulphuretted Hydrogen.			Remarks.
Standard.	Times in excess of Allowance.	No. of Tests.	Highest	Lowest.	Average	Standard.	Times in excess of Allowance.	No. of Tests.	No. of times absent.	No. of times present.	No. of Tests.	
Grains.			Grains.	Grains.	Grains.	Grains.						
									1	0	1	
									1	0	1	
									1	0	1	
									1	0	1	
									1	0	1	
									1	0	1	
									1	0	1	
									1	0	1	
									1	0	1	
									1	0	1	
									1	0	1	
									1	0	1	
									12	0	12	
									1	0	1	
									1	0	1	
									1	0	1	
									1	0	1	
									1	0	1	
									1	0	1	
									1	0	1	
									1	0	1	
									1	0	1	
									1	0	1	
									1	0	1	
									1	0	1	
									12	0	12	
									1	0	1	
									1	0	1	
									1	0	1	
									1	0	1	
									1	0	1	
									1	0	1	
									1	0	1	
									1	0	1	
									1	0	1	
									1	0	1	
									1	0	1	
									1	0	1	
									3	0	3	
									14	0	14	