

<i>Aclista borealis</i> Ashm.	Female and male.
<i>Anectata hirtifrons</i> Ashm.	Female and two males; July and Aug.
SUB-FAMILY X. DIAPRIINÆ.	
<i>Polypeza Pergandei</i> Ashm.	Female; May 20.
<i>Paramesius clavipes</i> Ashm.	Four females, one male; Hull, Aug. and Dow's Swamp moss, Nov.
<i>Paramesius spinosus</i> Ashm.	Male.
<i>Paramesius</i> sp. nov.	Female and two males; Aug.
<i>Spilomicrus armatus</i> Ashm.	Two females and male: Race course and Casselman, Aug. and May.
<i>Spilomicrus atriclavus</i> Ashm.	Female.
<i>Spilomicrus</i> sp. nov. ?	Two females; Hull, Aug.
<i>Spilomicrus</i> sp. nov. ?	Female; Hull, July 29.
<i>Hemilexodes</i> sp. nov.	Female.
<i>Aneurhynchus mellipes</i> Ashm.	Six females, one male; Hull, Kettle Island and Race-course, June, July and Aug.
<i>Aneurhynchus</i> sp. nov. ?	Male; Casselman, May 24.
<i>Galesus quebecensis</i> Prov.	Five males; Hull, July and Aug.
<i>Galesus atricornis</i> Ashm.	Female.
<i>Galesus polita</i> Say.	Female; so determined by Provancher.
<i>Loxotropa nana</i> Ashm.	Two females; Aug.
<i>Loxotropa abrupta</i> Ashm.	Several females; Aug.
<i>Loxotropa pezomachoides</i> Ashm.	Eight females.
<i>Tropidopria conica</i> Fabr.	Female; June 12.
<i>Tropidopria carinata</i> Thoms.	Female.
<i>Tropidopria torquata</i> Prov.	Female.
<i>Tropidopria simulans</i> Ashm.	Females abundant, Aug.
<i>Diapria armata</i> Ashm.	Female.
<i>Diapria virginica</i> Ashm.	Three females and male; King's Mt. and Race-course, Aug.
<i>Diapria</i> sp. nov. ?	Male; Aug. 13.
<i>Ceratopria megaplasta</i> Ashm.	Female.
<i>Ceratopria infuscatipes</i> Ashm.	Three females; Aug.
<i>Trichopria Harringtonii</i> Ashm.	Female.
<i>Trichopria carolinensis</i> Ashm.	Female; Dow's Swamp moss, Nov. Male; Race-course, Aug. 1.
<i>Trichopria flavipes</i> Ashm.	Female.
<i>Phænopria hamatobia</i> Ashm.	Four females; Dow's swamp moss, Nov.
<i>Phænopria aptera</i> Ashm.	Females abundant. Several from Dow's Swamp moss.
<i>Monelata hirticellis</i> Ashm.	Two females.