

Superfamily *Hesperiades*, Grote emend. 1897.

Family Pierididæ.	Type <i>Pieris rapæ</i> , L.
Family Nymphalidæ.	Type <i>Nymphalis lucilla</i> , L.
Family Libytheidæ.	Type <i>Libythea celtis</i> , F.
Family Riodinidæ.	Type <i>Riodina lysippus</i> , L.
Family Lycænidæ.	Type <i>Lycæna meleager</i> , Esp.
Family Hesperiadæ.	Type <i>Hesperia malvæ</i> , L.
Family Megathymidæ.	Type <i>Megathymus yuccæ</i> , B. & Lec.

Superfamily *Sphingides*.

Family Sphingidæ.	Type <i>Sphinx ligustri</i> , L.
-------------------	----------------------------------

Superfamily *Saturniades*, Grote, 1896.

Family Saturniadæ.	Type <i>Saturnia pavonia major</i> , L.
Family Citheroniadæ.	Type <i>Citheronia regalis</i> , F.

Superfamily *Bombycides* (Agrotides).

Family Lachneidæ.	Type <i>Lachneis catax</i> , L.
Family Hypogymnidæ.	Type <i>Hypogymna morio</i> , L.
Family Melalophidæ.	Type <i>Melalopha curtula</i> , L.
Family Ptilodontidæ.	Type <i>Ptilodon camelina</i> , L.
Family Platypterygidæ.	Type <i>Platypteryx hamula</i> , L.
Family Geometridæ.	Type <i>Geometra papilionaria</i> , L. (?)
Family Brepheidæ.	Type <i>Brephos parthenias</i> , L.
Family Dioptidæ.	Type <i>Diopthis cyma</i> , Hübn.
Family Thyatiridæ.	Type <i>Thyatira batis</i> , L.
Family Nycteolidæ.	Type <i>Nycteola degenerana</i> , Hübn.
Family Lithosiadæ.	Type <i>Lithosia complana</i> , L.
Family Sphecomorphidæ.	Type <i>Sphecomorpha incendiaria</i> , Hübn.
Family Hipocritidæ.	Type <i>Hipocrita jacobæa</i> , L.
Family Pericopidæ.	Type <i>Pericopis zerbina</i> , Stoll.
Family Agaristidæ.	Type <i>Agarista agricola</i> , Don.
Family Apatelidæ ⁵ .	Type <i>Apatela aceris</i> , L.

Superfamily *Tineides*, Grote, 1895.

Family Cochlidionidæ.	Type <i>Coclidion limacodes</i> , Hübn.
Family Megalopygidæ.	Type <i>Megalopyge lanata</i> , Cram.

⁵ This is (*Noctua* failing) the oldest collective term I can find, and I employ it for the whole group in sensu Lederer, etc. The group has been divided into families by Guenee and Herrich-Schaeffer (Agrotidæ, etc.).