Myomectomy, vaginal, 571, 577 bisection of myoma in, 574 complications after, 578 during, 576 death after, 580-583, 586 delirium after, 580 erysipelas after, 579 for infected and disintegrating submucous myoma, 575 for non-infected submucous myoma, 573 hemorrhage during, 576 hysterectomy subsequent to, 585 operation for recurrent fibroids after, 586 operations subsequent to, 585 other operations during, 578 phlebitis after, 579 pregnancy after, 587 pulse after, 578 results after, 584, 586, 587, 672 rupture of uterus during, 576 temperature after, 578, 579 Myosarcoma of uterus, 169-261 abscess in broad ligament with, 196 age of incidence, 178 cervical stump, return in, 176, 190 clinical history, 177-179 condition of Fallopian tubes with, 177 of ovaries with, 177 of uterine mucosa with, 176, 190 eysts in, 197, 198 developing from connective tissue of myoma, 172 from degenerated myoma, 188 from muscular elements of myoma, 173 in center of myoma, 208 gross appearances of, 170 suggesting, 236-245 histologic appearances, 172 incidence of, suggesting, 245-261 Myosarcoma of uterus, interstitial, 171 Myosarcoma of uterus, intraligamentary, 171 metastases in abdomen from, 200 in cervical lymph-glands from, 195 in chordæ tendineæ of tricuspid valve from, 222 in columnæ carneæ of right ventricle from, 222 in endocardium from, 220 in heart muscle from, 176 in liver from, 176, 201 in lungs from, 176, 195, 220 in lymph-glands from, 176 in omentum from, 176 in pleura from, 195 in skin from, 176

in vertebræ from, 176

Myosarcoma of uterus, overlooked at operation, 190
in laboratory, 193, 200, 204
perforation of abdominal wall with, 176
rapidity in growth of, 176
relation of hyaline degeneration to, 232
of recurrent fibroids to, 178
secondary growths of, 175
nodules of, in right broad ligament, 195
Myosarcoma of uterus, submucous, 171
Myosarcoma of uterus, subperitoneal, 171
transition of musele fibers into sarcoma
cells in, 225, 226, 227, 228
treatment of, 179

nodules of, in right broad ligament, 195 Myosarcoma of uterus, submucous, 171 Myosarcoma of uterus, subperitoneal, 171 transition of muscle fibers into sarcoma Nausea after abdominal hysteromyomectomy, 658 myomectomy, 548 associated with myoma, 447 Necrotic myoma, 153 Nephrectomy after hysteromyomectomy, 384, 385 Nephritis after abdominal hysteromyomectomy, 657, 681 myomectomy, 550 Nervous phenomena after abdominal hysteromyomectomy, 661 Number of myomata, 3 Obstipation after abdominal hysteromyo-

Distipation after abdominal hysteromyomeetomy, 659

Omental adhesions with parasitic myoma, 15 carcinoma, myoma and, differentiation, 499 metastases, 499 from adenocarcinoma of uterus, 405, 408

from adenocarcinoma of uterus, 405, 408 from myosarcoma of uterus, 176 vessels, friability of, 16

Omentum, abscess in, with myoma, 637 affording part of blood-supply to parasitie myoma, 16–30

changes in, with parasitic myoma, 13 dilated lymphatics of, 14, 20, 22

gradual disappearance of fat in, with parasitic myoma, 22, 23, 25, 28

greatly dilated vessels of, with parasitic myoma, 24

secondary sarcoma of, 234

Ovarian adhesions, release of, after abdominal myomeetomy, 556

cysts, myoma and, differentiation, 495, 498 papillomatous, 498 removal of, during abdominal myomec-

tomy, 527