

7. Wing and nervures whitish *albibennis*.
 Wing and nervures ordinary *Cressonii*.
8. Head distinctly longer than broad; cheek narrow; mesonotum quite opaque with fine roughness, sparsely punctured, often a little brassy *cereopsis*, sp. nov.
 Head hardly longer than broad; cheek broad 9.
9. Abdomen yellowish testaceous *testaceus*.
 Abdomen darker 10.
10. Abdomen obovate; segments 1-2 shining; 3-5 darker, more opaque, with sparse closely-appressed hairs; mesonotum shining, sparsely, finely, punctured; metathorax nearly smooth *sparsus*, sp. nov.
 Abdomen more oval, more densely pubescent, the hairs less appressed 11.
11. Disc of metathorax bordered by a raised line, especially laterally *Illinoensis*.
 Disc of metathorax not bordered by a raised line 12.
12. Abdomen brown, segments 3-5 closely pubescent *versatus*, sp. nov.
 Abdomen more black, segments 3-5 less pubescent 13.
13. Raised lines of disc of metathorax not reaching the apex, the latter rounded *obscurus*.
 Raised lines of metathorax reaching apex, which is truncate *smilacinae*.

Males.

- Tegulae not punctate 2.
- Tegulae punctate 1.
1. Metathorax with semicircular enclosure; wing whitish. *nymphaeum*.
 Metathorax without enclosure; wing ordinary *tegularis*.
2. Abdomen without greenish or bluish reflection 7.
 Abdomen greenish or bluish 3.
3. Mesonotum smooth and shining, finely and sparsely punctured; head hardly longer than wide 6.
 Mesonotum finely rugose, opaque, closely punctured 4.
4. Head a little longer than wide; clypeus without yellowish; the greenish tinge of abdomen slight *versatus*, sp. nov.
 Head much longer than wide; apex of clypeus usually yellowish; abdomen distinctly greenish 5.
5. Pubescence above and nervures and stigma yellowish *pilosus*.