On the following day the patient's mind was much brighter and continued to improve; he left the hospital with a perfectly clear mind.

About seven or eight months later he came into my office "simply to call" as he was in town looking up men to assist him in caring for his harvest; this occurred in 1893; he is still managing his farm.

Many more such cases might be cited, but as I have already taken up much valuable space suffice it to say, that although the above relates to the male Prepuce only, the same is true of the female Prepuce as corroborated by Dr. Greene, who has for many years given special attention to Abdominal and Pelvic surgery. He assures me that he has relieved and cured many cases of a Neurasthænic nature, and gives as a proof, the case of a young lady twenty-six years of age who had been confined in an asylum for over five years, who was completely restored to a "Compos Mentis" by a circumcision aided by suitable tonic after-treatment.

A. E. BARBER, South Bend, Ind.

CLINICAL DEMONSTRATION IN OPERATIVE GYNECOLOGY.

ENTLEMEN:—This patient comes to us for treatment, with a history of pain and disability gradually increasing, so that for the past few months she has not been able to do any work. She is a married woman has had four children, the youngest is two years old. She tells us that she did not make a good recovery after her last labor, and that she has since been suffering from pain in her back—severe headaches—an irritable weak stomach and a more or less continual vaginal discharge. The patient has had liquid diet only for 24 hours; the intestinal tract has been thoroughly cleared; she has had a full bath and vaginal douches. We will now complete the preparation by scrubbing the external genitals and vagina with green soap and sterile water.

Under full anaesthesia we make a bi-manual examination and find the uterus in normal position—somewhat enlarged and