## NEW YORK AND LONG-HAIRED BAT.

## IV. WINGED.

## IIIST. QUAD. GENUS XLIV.

Sz. NEW YORK.

BAT.

## Hift. Quad. Nº 403 .- LEV. MUS.

**B**AT. With the head like that of a Moufe: top of the nofe a little bifid: ears broad, fhort, and rounded: in each jaw two canine teeth: no cutting teeth: tail very long, inclosed in the membrane, which is of a triangular form: the wings thin, naked, and dusky: bones of the hind legs very flender.

Head, body, and upper part of the membrane inclosing the tail, covered with very long hair of a bright tawny color, paleft on the head, beginning of the back, and the belly: at the base of each wing is a white spot.

Length from nofe to tail two inches and a half; tail, one inche eight-tenths: extent of the vings, ten inches and a half.

Inhabits the province of New York; and discovered by Dr. Forster\* n New Zealand, in the South Seas.

Mr. Clayton, in Pb. Tranf. Abridg. iii. 594.

**B**AT. With long ftraggling hairs, and great ears. The above is all the account we have of this fpecies; which is faid to be an inhabitant of *Virginia*.

Mr. Lawfon fays, that the common Bat is found in Carolina +.

\* Observations, &c. 189. + Hift. Carolina. 125.

Hif.

Sj. Long-HAIRED.

184