

144. *COLYMBUS TORQUATUS*, Brünn. Great Northern Diver ; Loom.

145. *COLYMBUS PACIFICUS*, Lawrence. American Black-throated Diver.

146. *COLYMBUS SEPTENTRIONALIS*, L. Red-throated Diver.

147. *PODICEPS OCCIDENTALIS*, Lawrence. Western Grebe.

148. *PODICEPS GRISEOGENA* (Boddaert). Red-necked Grebe.

149. *PODICEPS CORNUTUS* (Gm.). Horned Grebe.

150. *MORMON CIRRHATUS* (Pall.).

Tufted Puffins are found as far north as Fort Simpson, where the Indians trim their dancing-leggings with their beaks.

151. *CERATORHINA MONOCERATA* (Pall.).

The Horn-billed Guillemot is common at times at Fort Rupert, and is known as far north as Fort Simpson.

152. *URIA COLUMBA* (Cassin). Western Guillemot.

153. *BRACHYRHAMPHUS MARMORATUS* (Gm.). Marbled Auk.

II. *Birds which ought to be looked for within the Vancouver-Island limits, being in all probability either residents of, or visitants to the Islands.*

*Accipiter cooperi*, Bp.

*A. mexicanus*, Sw.

*Archibuteo lagopus* (Gm.).

*A. ferrugineus* (Licht.).

*Otus wilsonianus*, Less.

*Brachyotus cassini*, Brewer.

*Syrnium cinereum* (Gm.).

*Picoides hirsutus* (Vieill.).

*Sayornis sayus* (Bp.).

*Empidonax acadicus* (Gm.).

*E. flaviventris*, W. & S. F. Baird.

*Turdus pallasi*, Cab.

*Dendroica occidentalis* (Towns.).

*D. townsendi* (Nutt.).

*D. nigrescens* (Towns.)

*Dendroica coronata* (L.).

*D. maculosa* (Gm.).

*Myiodiocetes pusillus* (Wils.).

*Cotyle riparia* (L.).

*Progne purpurea* (L.).

*Hirundo lunifrons*, Say.

*Collyrio borealis* (Bp.).

*Cistothorus palustris* (Wils.).

*Parus occidentalis*, Baird.

*P. montanus*, Gambel.

*Psaltroparus minimus* (Towns.).

*Carpodacus cassini*, Baird.

*Chrysomitris tristis* (L.).

*Passerculus savanna* (Wils.).

*P. alaudinus*, Bp.