


ANTIGONOCOCCIC SERUM



For Gonorrheal Arthritis, Etc.

Although of comparatively recent introduction, many evidences are at hand that

Antigonococcic Serum will play an important part in the therapeutics of the future. Its field, it should be understood, is not in acute urethritis, but in the

sequelæ of gonorrhœa—joint involvement (arthritis and tendosynovitis), gleet, epididymitis, orchitis, etc. We suggest that you give it a trial.

Bulbs of 2 Cc., three in a package.

LITERATURE FREE ON REQUEST.

Some New Agents that Broaden the Field of Biological Therapeutics

Bacterial Vaccines

The development of the opsonic theory marks a long step in the advancement of medical science—such, at least, is the opinion of men who have made an intelligent study of the new therapy. Believing with Sir A. E. Wright of London (the originator) that the bacterial vaccines have an important future, we are now marketing a number of these products, as follows:

STAPHYLOCOCCUS VACCINES.

Albus (*Staphylococcus Pyogenes Albus*).
Aureus (*Staphylococcus Pyogenes Aureus*).
Citrus (*Staphylococcus Pyogenes Citreus*).
Combined (*Staphylococcus Pyogenes Albus*, *Staphylococcus Pyogenes Aureus*, and *Staphylococcus Pyogenes Citreus*).

These vaccines are applicable in the treatment of furunculosis, suppurating acne and other forms of staphylococcal infection. They are prepared from various strains of staphylococci. They are sterilized by heat and are ready for use. Bulbs of 1 Cc., 4 bulbs in a package.

GNONOCOCCUS VACCINE.

Applicable in the treatment of the chronic conditions following acute gonorrhœa. Prepared from pure cultures of the gonococcus. Sterilized by heat and ready for use. Bulbs of 1 Cc., 4 bulbs in a package.

STREPTOCOCCUS VACCINE. (*Streptococcus Pyogenes*.)

Applicable in the treatment of the localized forms of streptococcal infection. Prepared from various strains of streptococci. Sterilized by heat and ready for use. Bulbs of 1 Cc., 4 bulbs in a package.

TUBERCULIN PRODUCTS.

(Used in the treatment of tuberculosis.)

Tuberculin T. R. (Tubercle Residue)—Bulbs of 1 Cc.
Tuberculin B. E. (Bazillon Emulsion)—Bulbs of 1 Cc.
Tuberculin B. F. (Bouillon Filtrate)—Bulbs of 1 Cc.

Write for Descriptive Literature.

PARKE, DAVIS & COMPANY