

CANADA
DEPARTMENT OF
MINES AND TECHNICAL SURVEYS
SURVEYS AND MAPPING BRANCH

REFERENCE

- Tractor Route, Snow or Winter Road
- Trail or Portage
- Boundaries:
- Provincial
- District
- Reservation: Indian, Park, etc.
- Surveyed Line
- Horizontal Control Point
- Boundary Mon., Survey Mon.
- Bench Mark
- Spot Elevation, (in feet)
- Building
- Church, Cemetery
- School, Post Office
- Reef, Rock or Small Island
- Sand or Gravel Pit
- Lake, intermittent or Slough
- Lake or Shoreline, indefinite
- Stream, intermittent or dry
- Stream, indefinite
- Marsh or Swamp
- Falls, Rapids
- Foreshore Flats
- Bluff, Cliff or Escarpment
- Wharf or Pier
- Contours:
- elevation
- depression
- approximate
- Wooded Area

The Quebec-Newfoundland boundary has not been surveyed and monumented on the ground at date of publication.


66° 30'	23 1/12	23 1/13	65° 00'
54° 45'	HOLLINGER LAKE	MARION LAKE	23 1/14
	23 1/9	23 1/12	23 1/11
	CAVERS LAKE	ANDRE LAKE	
	23 1/8	23 1/5	23 1/6
54° 30'	HARBLE LAKE		65° 00'

INDEX TO ADJOINING SHEETS

MAGNETIC DECLINATION 27° 08' WEST,
AT CENTRE OF SHEET 1952.
Annual magnetic change 4' easterly.

ANDRE LAKE
QUEBEC AND
NEWFOUNDLAND
23 1/2 WEST HALF
FIRST EDITION

Surveyed by the Topographical Survey in 1949.
Compiled by the Topographical Survey in 1952, from air
photographs taken in 1948.
Lithographed and printed by the Army Survey Est., R.C.E.,
Department of National Defence, 1953.
Copies may be obtained from the Map Distribution
Office, Department of Mines and Technical Surveys,
Ottawa, at 25 cents per copy.



CONTOUR INTERVAL 50 FEET
Elevations, in feet, based on Geodetic Vertical Angulation referred to sea level.

SUPERSEDED
EDITION