

<i>Macoma calcarea</i> Gmelin	Sta. No.	5282	5281	5287	5290	5283
		5291	5298			
<i>Macoma sabulosa</i> Spengler	"	3486				
<i>Macoma balthica</i> Linné	"	5281				
<i>Macoma brota</i> Dall	"	5283	5281			
<i>Macoma inconspicua</i> Broderip & Sowerby	"	5285				
<i>Mya truncata</i> Linné	"	5282	5285	5289	5290	5293
		5291	5197	5298	5299	
<i>Mya californica</i> Dall	"	5286	5293			
<i>Saxicava arctica</i> Linné	"	5290	5291	5293	5299	
<i>Saxicava phoebus</i> Linné	"	5282	5285	5289	5290	5293
		5291	5197	5298	5299	5300
<i>Caprellaria kurriana</i> Dunker	"	1926				
<i>Dentalium</i> sp.	"	3486				
<i>Chrysodonius</i> cf. <i>saturus</i> Martyn	"	1926				
<i>Buccinum</i> sp. ? (fragment)	"	5291				
<i>Buccinum</i> from Gray	"	1926				
<i>Neptunea heringi</i> Dall	"	1926				
<i>Tachyrrhynchus erosus</i> Conthouy	"	1926				
<i>Natica</i> sp. cf. <i>clausa</i> Brod	"	1926				
<i>Acantho-cingidia</i> ? Dall	"	5293				
<i>Balanus</i> sp. (fragment)	"	5286	5	6	5293	

LIST OF COLLECTING STATIONS (WEST TO EAST)

- 1912 - East side of Herschel island, Yukon Territory. Elevation up to 200' A.T.
- 1926 - South side of Herschel island, Yukon Territory. The island is made up of silty mud, with more or less gravel mixed. Fossils were collected from 100 feet above sea level downward.
- 3486 - From sandy mud cliffs on Kay point, Arctic coast, Yukon Territory. East side of point, and 3 miles from the end. Sand and sandy mud, almost clay, with thin layers of gravel. Sandy mud contains pebbles stratified, and cross-bedded deposits. Apparently part of the Anaktuvik feature. Collected from a hillside (100') at elevation 25' A.T.
- 5300 - Twenty-five miles southwest of cape Lyon, Dandley bay, Northwest Territories. From gravel, 50 feet elevation, on coast.
- 5301 - From debris on slope of partly consolidated mud underlying gravel near top of the former Little river (Brook river), Northwest Territories. Ten miles from mouth, about 15 miles south-west of cape Lyon. Elevation about 200' A.T.
- 5290 - Mud-gravel about the mouth of Inman river 60 feet to 200 feet, Dolphin and Union strait, Northwest Territories.
- 5302 - From 15 feet elevation on north side of Bernard harbour, south side of Dolphin and Union strait, Northwest Territories.
- 5298-5299 - Sand and gravel terraces from 15 feet above high-water, south side Bernard harbour winter quarters, Dolphin and Union strait.
- 5295 - North side of Bernard harbour, 15 feet above high-water level.
- 5293 - North side of Bernard harbour, from 30 feet above high-water level.
- 5291 - South side of Bernard harbour, 30 feet above high-water level.
- 5286 - South side of Bernard harbour. From greenish-grey sand in cut banks at high-water level.
- 5497 - Five miles south of Bernard harbour, about 12 feet elevation.
- 5285 - South-west part of Victoria island, Northwest Territories. Mud formation between the Colville hills and south coast. D. Jenness, collector. Occurrence general up to 300 feet, none seen higher, although the formation goes above 800 feet. (Jenness).
- 5281 - West side of Coppermine river, 5 miles from mouth, from claybanks 50 feet high. Altitude above present level of river, 3 to 15 feet. Ice-covered. Sticking in the clay on limited stretch of banks. More shells seen higher up the bank.
- 5283 - East side of Coppermine river, Northwest Territories, about 6 miles from the mouth in river banks 50 feet in height.
- 5289 - Mud-gravel of Dolomite hills, south end of Port Epworth, Coronation gulf, 320 feet elevation.
- 5288 - East side of Port Epworth harbour, Coronation gulf, Northwest Territories. From mud-gravel at 500 feet elevation.
- 5287 - Mud-gravel formation, 11 miles up Koghaknahuk river, Coronation gulf. Twenty-five feet above river bed.
- 5298 - Cape Barrow, Bathurst inlet, Northwest Territories, 150 feet elevation.