

(c) of cheek	I case
(a) of amputation stump.	I "
Enchondroma of fingers.	I "
Cornu cutaneum of nose.	I "
Branchiogenic cyst.	I "
Dermoid cyst of nose.	I "
Hæmatoma of thigh (traumatic).	I "
Cryptorchidismus	I "
Diffuse fibrous overgrowth of pylorus.	I "
<i>Tuberculosis</i> (other than of joints and of glands)—	
(a) of ribs.	I "
(b) of tendon sheath of hand.	I "
(c) of anal region.	I "

Miscellaneous Specimens—

Kidney, showing pyonephrosis,	
" showing infarcts—(removed for persistent hæmaturia.)	
Meckel's Diverticulum (a) in condition of acute necrosing inflammation, and causing obstruction ; (b) normal.	
Persistent thyroglossal duct.	
Meningo-myelocele.	

Miscellaneous Bacteriological Examinations.*Empyæma*—6 cases.

Frænkel's diplococcus pneumoniæ.	in 3
Bac. coli com. (a variety of)	in 1
Sterile.	1
Streptococcus pyogenes.	in 1

Lung Abscess—2 cases.

1. A putrefactive organism.
2. Frænkel's diplococcus.

Miscellaneous—

Abscess following perforation of gall-bladder—B. coli com.	
Bile in case of typhoid cholecystitis—Bac. typhosus (pure culture.)	
From mucosa of common duct (case of calculus in the duct) Bac. coli com.	
Abscess of brain—In smears a diplococcus neg. to Gram ; cultures remained sterile.	
Fluid from knee-joint—	
in arthritis deformans, sterile.	
in gonorrhœal arthritis, sterile.	
Lumbar abscess—Ray-fungus of actinomycosis.	
Urine in case of cystitis—Bac. coli.	