

- femoral, results of operation for 202, 208
 following vasectomy 350
 frequency of occurrence in sexes.. 10
 funicular, of small intestine 354
 ileo-cecal 334
 ileo-colic 333
 indications for operation 32
 inferior 15
 influence of intra-abdominal pressure in 10
 inguinal, following trauma 353
 inguinal, of ovary, appendix and Meckel's diverticulum 346
 inguinal, recurrence after operation 214
 inguinal, results of operation for 202, 208
 inguinal, without sac 22
 inguino-interstitial 350
 inguino-properitoneal 349
 in infants 343
 internal 15
 intersigmoid 330
 interstitial 339, 340
 into duodeno-jejunal fossa 324
 into paraduodenal fossa 349
 lateral 15
 Littre's, of cecum 21
 meso-colic 330
 mortality of radical operations 210, 213, 214
 oblique inguinal, indications for operation 58
 of bladder and oviduct 346
 of cecum 22
 of Fallopian tube 26
 of female pelvic organs 25
 of Meckel's diverticulum 22
 of non-gravid uterus 25
 of ovary 26
 of ovary and tube 25
 of ovary without tube 25
 of pancreas 22, 25
 of pelvic floor 335
 of pregnant uterus 25
 of seminal vesicles 25
 of tube without ovary 25
 of uterus 29
 of vagina 29
 peritonitis complicating 174
 posterior 14
 prevalence of 10
 properitoneal 339, 340, 349
 retroperitoneal 349
 Richter's 349
 strangulated 336
 strangulated duodenal 342
 strangulated obturator 342
 strangulated rectocecal 345
 strangulated, results of operation for 209, 210
 strangulation caused by volvulus . 340
 strangulation of as indication for operation 33
 suppuration in wound as cause of relapse 32
 strangulation of umbilical 341
 subcecal 334
 superior 15
 through Douglas' cul de sac 345, 353
 through foramen of Winslow 328
 through mesentery of Meckel's diverticulum 345
 through rupture of rectum 345
 traumatic 9
 traumatic epigastric 353
 umbilical, containing congenital diverticulum 349
 umbilical, indications for operation 64
 umbilical, perforating abdominal wall 346
 unique case of femoral 22
 unusual forms of 345
 ventral, indications for operation .. 65
 ventral, results of operation for .. 208
 vesical, indications for operation .. 66
 vesico-rectal 354
 Hernias, eponymic 16
 following appendectomy 65
 inferior, indications for operation 324
 internal and inferior 324
 internal, indications for operation 354
 multiple 313
 operated on by laparotomy 34
 Herniotomy and alcoholism 254
 and appendectomy combined 37
 and constitutional diseases 63
 and cryptorchidism 69
 and mental conditions 37
 and obesity 59
 and occupation 37
 and syphilis 34
 and tuberculosis 279
 bicycling after 164
 cutaneous complications following 278
 electricity for cure of 290
 femoral, Baldwin's method 289
 femoral, Ball's method 289
 femoral, Banks' method 289
 femoral, Barker's method 290
 femoral, Bassini's method 300
 femoral, Coley's method 289
 femoral, Cooper's method 300
 femoral, Curtis' method 289
 femoral, Cushing's method 298
 femoral, De Garmo's method 290
 femoral, Fabricius' method 289
 femoral, Ferguson's method 303
 femoral, Hammesfahr's method 299
 femoral, Herzen's method 289
 femoral, Houston's method 294
 femoral, Kammerer's method