

- Subfamily: Ephemerinae 1. *Hexagenia bilineata* Say.  
2. *Ephemerella simulans* Walker.

- Subfamily: Heptageninæ 1. *Heptagenia flavescens* Walsh.  
2. " *lutea* sp. nov.  
3. " *fusca* sp. nov.  
4. " *tripunctata* Banks  
5. " *rubromaculata* sp.  
" nov.  
6. " *luridipennis* Burm.  
7. " *canadensis* Walker  
8. " *frontalis* Banks.  
9. " sp.? (nymphs only).  
10. *Ecdyurus maculipennis* Walsh.  
11. " *lucidipennis* sp. nov.  
12. " *grandis* sp. nov.

- Subfamily: Baetinæ 1. *Baetisca obesa* Walsh.  
2. *Leptophlebia*, sp.? (nymph only).  
3. *Blasturus cupidinus* Say.  
4. *Blasturus nebulosus* Say.  
5. *Choroterpes* (?) *basalis* Banks.  
6. *Ephemerella lutulenta* sp. nov.  
7. *Ephemerella lineata* sp. nov.  
8. *Ephemerella bicolor* sp. nov.  
9. *Drunella* sp.? (nymph only).  
10. *Cænis diminuta* Walker.  
11. *Tricorythus allectus* Needham.  
12. *Chirotenetes albomanicatus* Needham.  
13. *Siphlurus flexus* sp. nov.  
14. *Baetis propinquus* Walsh.  
15. *Clæon dubium* Walsh.  
16. *Callibaetis ferrugineus* Walsh.

#### DESCRIPTIONS AND NOTES.

##### Genus HEPTAGENIA

Special attention was given to this genus on account of its abundance and the comparatively large number of species. The