

- Grapta interrogationis*, var. *umbrosa*.—Occasionally.  
*Grapta comma*, Harr., var. *dryas*.—Rarely.  
*Grapta progne*, Cram.—Not common.  
*Vanessa antiopa*, Linn.—Abundant in the latter end of summer.  
*Vanessa californica*, Bd.—Two specimens taken. Not seen for some years.  
*Vanessa milberti*, Godt.—Abundant.  
*Pyrameis atalanta*, Linn.—Sometimes abundant.  
*Pyrameis huntera*, Fab.—Some years ago, I think in 1884, this insect was abundant, so much so that I only caught one or two specimens, thinking it would be equally general in other years. Since then I have only seen and taken one insect. Occurred in August.  
*Pyrameis cardui*, Linn.—Common in some years, scarce in others.  
*Limenitis arthemis*, Dru.—Common in June and July.  
*Limenitis disippus*, Godt.—Occasionally in June and July.  
*Neonympha canthus*, Bd.—Lec.—Locally and occasionally occurs latter end of June and July.  
*Cœnonympha inornata*, Edw.—Common.  
*Satyrus nephele*, Kirby.—Very common.  
*Satyrus nephele*, v. *Roopis*.—Very common.  
*Chionobas varuna*, Edw.—One only seen and taken, and that a rather worn specimen, during August.  
*Thecla calanus*, Hub.—Rare.  
*Thecla strigosa*, Harr.—Abundant ; occurs in July.  
*Thecla augustus*, Kirby.—Only one seen and taken during May.  
*Thecla titus*, Fab.—Common during July.  
*Thecla*.—Not identified; appears to be a new species. Only one seen and taken some years ago.  
*Chrysophanus helloides*, Bd.—Lec.—Abundant in June and July.  
*Lycæna sæpiolus*, Bd.—Only two specimens taken at the end of June.  
*Lycæna Couperii*, Grote.—Common in May.  
*Lycæna pseudargiolus*, v. *neglecta*, Edw.—Common in June.  
*Lycæna pseudargiolus*, v. *lucia*, Edw.—Rare.  
*Lycæna melissa*, Edw.—Common in July.  
*Lycæna comyntas*, Godt.—Rarely seen.  
*Lycæna amyntula*, Bd.—Common during June and July.  
*Lycæna aquilo*, Bd.—Only one seen and taken June 12th, 1894.  
*Carterocephalus mandan*, Edw.—Local and not abundant, in July.