

broke and the end struck the left eye in the ciliary region. He was sent to me by his family physician four weeks after the accident. The eye was then filled with blood and quite useless, the sclerotic was ruptured in the ciliary region. He returned home with a note to his physician pointing out the danger to be apprehended, and recommending that both eyes be closely watched. He returned in three weeks, led by his brother. The injured eye was about the same as when I saw it last, with the exception that there was less hæmorrhage and he could see the light from the ophthalmoscopic mirror brighter than before. On examining the right eye, however, I found the pupil irregular and other symptoms of Sympathetic irido-choroiditis. The injured eye was enucleated the same day under chloroform. The right eye was placed under treatment and it commenced to improve immediately. In two weeks he returned to Consecon, the inflammation relieved, vision restored and wearing an artificial eye.

*CASE 6.—Total blindness from Sympathetic Ophthalmia two months after wound of left eye*

The following very brief memorandum is copied from my journal for 1871. I cannot now recall the case. Hamilton P., Toronto, aged 21. When six years of age the left eye was wounded with a scythe. The eye remained full size after the accident, but the sight was destroyed. Four weeks afterwards the sight of the right eye commenced to fail, and in about two months from the date of the accident he was quite blind.

*CASE 7.—Total blindness from Sympathetic Ophthalmia in nine months after wound of left eye*

Hester L., aged 21, County of Hastings, gives the following account of her case.—At eight years of age, the left eye was wounded with a stick of wood. The "pupil" was cut. The accident occurred at Christmas time. The wound was healed in about a month, but that eye was quite blind. She went to school for eight months, when the right eye began to fail. At first she noticed that there was occasionally a blur over the letters in reading, this increased, and both eyes became quite painful; the sight continued to fail until the month of October, when she found herself quite blind in both eyes. She has now been blind 13 years. Both eyes are atrophied.

*CASE 8.—Total blindness from Sympathetic Ophthalmia fifteen months after wound of right eye.*