dense forest
able jungle,
gical boundaDuring the
nearly 1000
, considering
that the relans have been
photographic
ong the prind its scenery.

ELLS.

REPORT

ON THE GEOLOGY OF

NORTHERN NEW BRUNSWICK,

EMBRACING PORTIONS OF THE COUNTIES OF

RESTIGOUCHE, GLOUCESTER, AND NORTHUMBERLAND,

BY

R. W. ELLS, M.A.

Previous to the commencement of the work in this rortion of the Province, in 1879, the determination of the various geological forma-Work previously done in tions was of a very general character, and their boundaries somewhat this area. loosely defined. Explorations had been made to a limited extent along the coast by Sir W. E. Logan, in 1843, in connection with the so-called Bonaventure formation; by Dr. Abraham Gesner about the same date, the result of whose observations appeared in his report to the New Brunswick Government; by Prof. H. Y. Hind, in 1864, who made a traverse of the Tobique and Nipisiguit Rivers, as also of the main south-west Miramichi, by whom the great bulk of the metamorphic rocks, as seen in these streams, was use gned to the Quebec Group, and whose report to the New Brunswick Government (1865) contains a large amount of very valuable information. Brief papers also appeared in the Canadian Naturalist by Prof. L. W. Bailey, of Fredericton, who made a canoe voyage from the St. John River to Bathurst, by way of the Tobique and Nipisignit Rivers, and in the Transactions of the Nova Scotia Institute of Natural History, by the Rev. Dr. Honeyman, more particularly with reference to the country about the upper part of the Bay Chaleur, and in the vicinity of Dalhousie.

The working out of the stratigraphical relations of the different geological formations in the southern part of the Province has, however,