

- (ii) The monitoring system shall have such abilities and be installed, adjusted or directed in such a way as to correspond strictly and efficiently to the sole purpose of detecting prohibited or unauthorized activities within the chemical weapons storage facility as referred to above under (a). The coverage of the monitoring system shall be limited accordingly. The monitoring system will signal the Technical Secretariat if any tampering with its components or interference with its functioning occurs. Redundancy shall be built into the monitoring system to ensure that failure of an individual component will not jeopardise the monitoring capability of the system.
 - (iii) When the monitoring system is activated, International Inspectors will verify the accuracy of the inventory of chemical weapons, as required.
 - (iv) Data will be transmitted from each storage facility to the Technical Secretariat by means (to be determined). The transmission system will incorporate frequent transmissions from the storage facility and a query and response system between the storage facility and the Technical Secretariat. International Inspectors shall periodically check the proper functioning of the monitoring system.
 - (v) In the event that the monitoring system indicated any irregularity, the International Inspectors would immediately determine whether this resulted from equipment malfunction or activities at the storage facility. If, after this examination the problem remained unresolved, the Technical Secretariat would immediately ascertain the actual situation, including through immediate on-site inspection or visit of the storage facility if necessary. The Technical Secretariat shall report any such problem immediately after its detection to the State Party who should assist in its resolution.
 - (vi) The State Party shall immediately notify the Technical Secretariat if an event at the storage facility occurs, or may occur, which may have an impact on the monitoring system. The State Party shall co-ordinate subsequent actions with the Technical Secretariat with a view to restoring the operation of the monitoring system, and establishing interim measures, if necessary, as soon as possible.
- (f) Systematic on-site inspections and visits.
- (i) Visits to service the monitoring system may be required in addition to systematic on-site inspections to perform any necessary maintenance, replacement of equipment or to adjust the coverage of the monitoring system, if required.