




CANADA
DEPARTMENT OF NATIONAL DEFENCE
ARMY SURVEY ESTABLISHMENT

REFERENCE

- Roads:
 hard surface, all weather more than 2 lanes
 hard surface, all weather 2 lanes
 loose surface, all weather 2 lanes wide or more
 loose surface, less than 2 lanes all weather
 Private Road
 Trail
 Railway, double track
 single track
 abandoned
 narrow gauge or electric
 Bridge, underpass or overpass
 Boundaries International
 Provincial
 County
 Township
 Reservation Indian
 Electric Power Line
 Telephone, trunk route
 on Steel Towers on Wood Poles
 Triangulation Station
 Boundary or Survey Monument
 Bench Mark
 Spot Elevation, (in feet)
 House, Barn
 Buildings
 Mill or Factory, small, Saw Mill, etc.
 School
 Church
 with conspicuous Tower or Spire
 Post Office
 Mine or Open Cut
 Cemetery or Churchyard
 Quarry
 Sand or Gravel Pit
 Cliff
 Cutting
 Embankment, Dump, etc.
 Lighthouse
 Wharf or Pier
 Foreshore Flats
 Swamp or Marsh
 Lake or Slough, non permanent
 Glacier or Snowfield
 Stream, intermittent
 Contours, elevation
 depression
 Wooded Areas, deciduous
 coniferous

INDEX TO ADJOINING SHEETS



See "Index to Maps Available" for sheets published.

Copies may be obtained from The Map Distribution Office, Dept. of Mines and Technical Surveys, Ottawa.

WOBURN
QUEBEC-MAINE
21 5/7 WEST HALF
THIRD EDITION




Surveyed, compiled, drawn and printed by the Army Survey Establishment R.C.E. 1922-24. Aerial photography by the R.C.A.F. 1945. Partially revised and converted from 1:63,360 map to 1:50,000 by the A.S.E. 1954. Area in the U.S.A. from maps of the Army Map Service, Corps of Engineers, U.S. Army.

MAGNETIC DECLINATION 18° 21' WEST AT CENTRE OF SHEET, 1954. Annual magnetic change 1.5 easterly.

NORTH AMERICAN DATUM

CONTOUR INTERVAL 25 FEET IN CANADA
CONTOUR INTERVAL 20 FEET IN U.S.A.
All Elevations in Feet above Mean Sea Level

Scale 1:50,000



SUPERSEDED EDITION