Argynnis aphrodite Fabr. One female without label. Apparently typical, and agreeing with a female in the collection labeled

Argynnis lais Edw. Very pale and near cypris.

Argynnis atlantis Edw. One male without label. Typical. I was surprised to see this form from Manitoba. Mr. Wallis has taken it quite commonly at Winnipeg Beach.

Argynnis nevadensis Edw. var. meadii Edw. Standing as edwardsii, by which form it used to be known in the west.

Argynnis myrina Cram.

Argynnis freija Thunb.

Argynnis bellona Fabr.

Phyciodes nycleis Db.-Hew. And two large females erroneously as hanhami Fletcher.

Phyciodes ismeria Bd.-Lec.

Phyciodes tharos Dru.

Grapta interrogationis Fabr. vars. fabricii Edw. and umbrosa Lint.

Grapta comma Harr, vars. harrisii Edw. and dryas Edw.

Grapta satyrus Edw.

Grapta faunus Edw. Grapta progne Cram.

Grapta j-album Bd.-Lec.

Vanessa antiopa Linn.

Vanessa californica Bdv.

Vanessa milberti Godt.

Pyrameis atalanta Linn.

Pyrameis huntera Fabr.

Pyrameis cardui Linn.

Limenitis arthemis Dru.

Limenitis archippus Cram.

Debis portlandia Fabr.

Neonympha canthus Bd.-Lec.

Neonympha eurytis Fabr.

Cænonympha typhon Rott. var. laidon Borkh. Dr. McDunnough says that in his opinion this is inornata Edws., and that there is no justification in sinking inornata as a synonym.