ably equally so inland.

Putorius velgaris, (Erxl.) Griff. Common small Weasel.-As far as I can discover equally abundant with Perminea.

Perories visox, (Schreb.) Gapp. Mink.— Abundant everywhere along the coast and

atout inland pouds.

Gulo lusers, (Linne) Sabine. Wolverine .-Rather common, but not nearly so often taken as one would imagine by the trappers. Seems to be pretty generally distributed along the

Mernitis Mernitica, (Shaw) Baird. Skunk. Seen occasionally in the lower portions of

Labrador, but is rare.

LETRA CANADENSIS, Sabine. Offer. Common in the furring season all along the coast.

URSUS AMERICANUS, Pallas. Black Bear. --Common inland and along the high blutts by the sea shore, all along the coast.

Thalarctos MARITIMUS, (Linne) Grav. White or Polar Bear .- Bare, occasionally seen on blocks of floating ice off shore in the extreme northern portions. Twice recorded as far down through the straits of Belle Isle as Blanc Sablon.

Procyon Lotor, (Linné) Storr. Raccong.-" Occurs at Square Island."- Packard.

Common. Rears its young on sand-bars about 15 to 20 miles up the rivers in the interior in the spring. Abundant outside in the fall.

Phoca forma, Fabricius. Ringed Scal. Jur.-Not uncommon in harbors in spring and tall. Distinguished from last species only on close examination.

Scal .- Common in migrations all along the shores south of Belle Isle.

Erignatius barbatus, (Fabricius) Gill. Square-Flipper Scal.—Rather common cakes of floating ice in the spring, all: long the const.

Cystophora cristata, (Erxl., Nilsson, Honded Scal.—With P. Grondandica, but less

Odoblenus obesus, (Illiger) Allen. Walrus. - Rare along the coast of Northern Labrador. Saint Augustine. Two were shot in 1880 and 1881, at Fox Har-A gentleman of our party obtained the tusks: of one of them, which were about 7 inches: long and nearly an inch in diameter.

Regarding the deer of Labrador some con-

Stout, -- Common all along the coast and probe tusion exists. Two species, about equally common, are found throughout the peninsula in small, or less trequently in large (300 or 400), herds. They are probably the following:

TARANDES RANGIFER, Brookes, vor. Caribot.

Woodland Caribon: and

Tarandus rangifer, Brookes, var. Grox-Landers. Barren Ground Caribon.

Arces Marchis, (Laune) Gray, the Moose, and Cerves Canadensis, Eraleben, the American Elk, have both been reported as found on the southwestern portion of Labrador, about north from Anticosti, but they were doubtless very rare and occasional.

Ovinos moschatus, Blainville. Musk Ox.

On the authority of Prof. A. S. Packard a single relic of this animal may be accredited to this region. Probably it was its most southern limit in former times.

Delembarteres catodos, (Linné) Gill. While Whale, -- Common in the Saint Lawrence River, at least as far as Anticosti.

Monodon monoceros, Linné. Given on the authority of Professor Packard. but it is probably exceedingly rare.

Orca gladiator, (Bonnaterre) Gray. Killer. Occasional all along the coast apparently.

GLORICEPHALUS INTERMEDIUS, (Harlan) Gray. Black-fish.-Common in the Gulf, at Proce virtuase, Linné. Harbor Scal. -- least to the mouth of the Straits of Belle Isle.

> Grampus griseus, (Cuvier) Gray. Grampus.-Not uncommon all along the shores to Belle Isle, and perhaps further.

> Physeter macrocephalus, Linné. Sperm Whale.—Occasionally taken along the coast, as I am informed by the traders and people.

SIBBALDIUS BOREALIS, (Fischer) Geoffroy. Phoca Greenlandica, Fabricius. Harp & Sulphur-bottom Whate.-Not regarded as rare. Frequently taken by the people along the shore. One towed ashore at Old Fort Island in 1878 or 1879.

One of the whalebone whales is occasionally taken along this coast, but which species it is I cannot tell. I am sure that several species both of whales and porpoises will be eventually added to this list.

Sciuropterus volucella, (Pallas) Geoffroy, var. Hubsoxius. Flying Squirrel.—Occasional along the coast. Specimens tound at

Sciurus Hudsonius, Pallas. Red Squirrelbor, St. Lewis Sound, off the shore a little way. Common in the woods along the shore, and probably inland also, all along the coast.

Gray squirrels are said to occur here also, but I did not see any,

(TO BE CONTINUED.)