



CANADA

DEPARTMENT OF
MINES AND TECHNICAL SURVEYS
SURVEYS AND MAPPING BRANCH

REFERENCE

Roads:	
hard surface, heavy duty	3 or more lanes
hard surface, heavy duty	2 lanes
hard surface, medium duty	3 or more lanes
loose surface, graded and drained	16 ft. wide
Other Roads	Power condition
Trail or Portage	
Railways:	
double track	Station
single track	Stop
abandoned	
narrow gauge or electric	
cutting, embankment	
Bridges:	
road, railway	
overpass, underpass	
Boundaries:	
International	
Province or State	
County or District	
Township or Parish	
Reservation, Park, etc.	
Surveyed Line	
Electric Power Line	on Steel Towers on Wood Poles
Telephone Line, trunk route	
Triangulation Station	Δ
Boundary Mon., Survey Mon.	□
Bench Mark	BM
Spot Elevation, (in feet)	782
Building: Barn	■
Mill or Factory, small; Sawmill, etc.	SM
Church, Cemetery	■
School, Post Office	■
Mine or Open Cut	■
Quarry	■
Sand or Gravel Pit	■
Lake or Pond, intermittent	■
Lake or Shoreline, indefinite	■
Stream, intermittent or dry	■
Stream, definite	■
Irrigation Canal or Ditch	■
Marsh or Swamp	■
Inundated Land	■
Falls, Rapids	■
Foreshore Flats	■
Bluff, Cliff or Escarpment	■
Lighthouse	■
Wharf or Pier, Ferry	■
Contours:	
elevation	■
depression	■
approximate	■
Wooded Area	■



46° 00'	11 E 1/16	11 E 1/16	11 E 1/16
45° 30'	MONTAGUE	BOUGHTON ISLAND	PORT HOOB
45° 00'	PICTOU ISLAND	CAPE GEORGE	ANTIGONISH
44° 30'	NEW GLASGOW	MERCERSH	ANTIGONISH
44° 00'	INDEX TO ADJOINING SHEETS		

MAGNETIC DECLINATION 24° 55' WEST,
AT CENTRE OF SHEET 1951.
Annual magnetic change 2' easterly.MALIGNANT COVE
NOVA SCOTIA11^E/16 EAST HALF
FIRST EDITION**SUPERSEDED
EDITION**

Surveyed by the Topographical Survey in 1946 and 1949.
Compiled by the Topographical Survey in 1950, from air
photographs taken in 1939 and 1945 by the R.C.A.F.
Lithographed and printed by the Army Survey Est., R.C.E.,
Department of National Defence, 1952.
Copies may be obtained from the Map Distribution Office,
Dept. of Mines and Technical Surveys, Ottawa. Price 25 cents.

