[264.] \(\Omega.\)—Body black, variegated with yellow. Head and trunk thickly clothed with long woolly down of a grayish colour; face with three yellow spots placed in a transverse line behind the antennae, the two lateral ones subtriangular, the intermediate one subquadrangular, with a reddish cloud on its disk; the nose below the antennae is yellow, inclining to red round the margin; it has also three black dots placed in a triangle in the disk, the two lower ones being very minute; the vertex of the nose is also black; the mandibles are yellow with black tips; on the outside the orbit of the eyes is reddish-yellow; the trunk is black underneath; above the posterior upper margin of the collar, the tegulae which cover the base of the wings, and a triangular spot underneath them, are yellow; on the metathorax and scutellum are six yellow spots placed in a double series, the upper and lower pairs being subtriangular, and the intermediate pair crescent-shaped; the thighs are black at the base, but their apex, and the rest of the leg, and a small triangular spot on the inner side of the four posterior trochanters, are yellow; the wings are yellowish red with red nervures; the abdomen, except at the base, is less hairy than the rest of the body; it is yellow with all the segments black at the base; though the blackness in the terminal ones is chiefly concealed by the antecedent segments; in all in the middle it projects into a triangle; the four intermediate ones have also each a round-headed small black spot, the connection of which with the blackness of the base is interrupted in the second segment; on the under side of the abdomen the base of the segments is black, and the intermediate ones have each a pair of rather crescent-shaped black spots not connected with the blackness of the base.

[Kirby states that the specimen above described differs somewhat from the European wasps of this species, but he considers it to be merely a variety of the latter. Later authors state that both *V. vulgaris* and *V. germanica*, European species, are found on this side of the Atlantic.]

- 365. VESPA BOREALIS Kirby.--Length of body 72 lines. A single specimen taken with the last.
- [265.] Body black, downy, especially the head and trunk, with gray hairs. Nose trapezoidal, yellow with a black floriform discoidal spot; anterior margin with three sinuses taken out; vertex with a trapezoidal yellow spot just above the base of the antennæ; antennæ black, luteous