

TULIPA—Con.

- **T. australis**, LINK. South-western Eur.
Syn. T. celsiana, DC.

Pl., 1897. Hardy. Ht. 1 ft. 8 in.
 Fl. golden yellow flushed with
 bronze outside, sweet scented;
 May 19 to June 6.

- T. Batalinii**, REBEL. Asia Minor.

Pl., 1901. Hardy. Ht. 5 in. Fl.
 pale yellow; May 16 to June 3.

- *T. billietiana**, JORD. Europe.

Pl., 1907. Hardy. Ht. 1 ft. 3 in.
 Fl. golden yellow, edged with red
 near base; May 19 to June 3.

- T. carinata rubra.**

Pl., 1897. Hardy. Ht. 2 ft. Fl.
 carmine; May 26 to June 3.

- T. carinata violacea.**

Pl., 1897. Hardy. Ht. 2 ft. Fl.
 green and red; late May to early
 June.

T. celsiana, DC. = *T. australis*.

- **T. Didieri**, a Europe.

Pl., 1897. Hardy. Ht. 12 to 18 in.
 Fl. bright crimson, purplish
 blotch at base; late May.

- ***T. Didieri mauriana.**

Syn. T. mauriana.

Pl., 1901. Hardy. Ht. 1 ft. 10 in.
 Fl. bright orange scarlet, yellow
 at base; late May to early June.

- ***T. elegans**, BAKER. Garden origin.

Pl., 1901. Hardy. Ht. 12 to 18 in.
 Fl. bright scarlet red with yellow
 eye; May 13 to June 3.

- *T. fragrans**, MUNBY. Algiers.

Pl., 1901. Hardy. Ht. 6 to 12 in.
 Fl. yellow, greenish outside,
 sweet scented; May 16 to May
 30.

- ***T. fulgens**, HORT. Garden origin.

Pl., 1901. Hardy. Ht. 2½ ft. Fl.
 scarlet with yellow eye; May 16
 to June 6.

- ***T. Greigi**, REBEL. Turkestan.

Pl., 1906. Hardy. Ht. 6 in. Fl.
 bright flame red with black
 blotches margined with yellow;
 leaves with brown blotches; mid
 to late May.

TULIPA—Con.

- *T. Hageri**, HELDR. Smyrna.

Pl., 1901. Hardy. Ht. 16 in. Fl.
 deep orange black, with yellow
 margin at base; May 17 to
 June 6.

- ***T. kaufmanniana**, REBEL. Turkestan.

Pl., 1901. Hardy. Ht. 6 to 9 in.
 Fl. orange red with white mar-
 gin, yellow and white inside;
 April 23 to May 10.

- T. Korolkowi**, REBEL.

Pl., 1901. Half hardy.

- T. Lownei**, BAKER. Syria.

Pl., 1901. Half hardy.

- T. Leichtlinii**, REBEL. Kashmir.

Pl., 1901. Half hardy.

- ***P. macrospeila**, BAKER. Garden origin.

Pl., 1897. Hardy. Ht. 1½ ft. Fl.
 bright crimson, black and yellow
 at base: late May to early June.

- ***T. maculata**, HORT. Garden origin.

Pl., 1897. Hardy. Ht. 2 ft. Fl.
 rich scarlet, black, edged with
 yellow at base; May 21 to June 9.

T. mauriana = *T. Didieri mauriana*.

- **T. Oculus-solis**, ST-AMAN. South of
 France, Italy and Switzerland.

Pl., 1901. Hardy. Ht. 12 to 18 in.
 Fl. bright crimson, black base
 with yellow margin; mid to late
 May.

- *T. orphanidea**, BOISS. Greece.

Pl., 1897. Hardy. Ht. 18 in. Fl.
 yellow inside, bronzy red outside;
 mid to late May.

- **T. præcox**, TENORE. South Europe, &c.

Pl., 1901. Hardy. Ht. 1 ft. 9 in.
 Fl. bright crimson with black
 blotch at base; mid to late May.

- *T. pulchella**, FENZL. Cilicia.

Pl., 1897. Hardy. Ht. 5 in. Fl.
 bright mauve red with yellow
 base; early May.

- ***T. retroflexa**, HORT. Garden origin.

Pl., 1901. Hardy. Ht. 1½ ft. Fl.
 bright yellow; mid to late May.