## CANADA

## MEDICAL & SURGICAL JOURNAL.

د. قرد -

ORIGINAL COMMUNICATIONS.

Second Second and

A Case of Cystic Degeneration of the right kidney; with Fungoid growth in the bladder.—Obstinate Hæmaturia:—Death. By Akthur A. BROWNE, B.A., M.D.

J. A., aged 62 years, had suffered from intermittent attacks of Hæmaturia for a considerable time when he came under the care of Dr. Fenwick last summer. He had been previously attended by Dr. G. W. Campbell, with whom Dr. Fenwick had a consultation on the case soon afterwards. In July last he came to Dr. Fenwick's house, ahout 9 o'clock, one evening, to have his urine drawn off, as he could not make water.

Dr. F., passed a large-sized catheter, without difficulty, and drew off a large amount of urine deeply tinged with blood. This attack of hæmaturia subsided under the Fld. Ext. Ergot, and iron, which was afterwards changed to small doses of turpentine, which he had before taken on Dr. Campbell's prescription, and which he maintained did him more good than anything. His urine was examined about this time, as soon as it became free from blood, and it was found to contain no albumen or tube casts, but there were present a few cells, resembling pus cells, a large quantity of granular matter, with abundance of phosphates, and a few crystals of the oxalate of lime. The crystals of the oxalate were very small in size. The amount of urine passed was about normal daily. This attack of hæmaturia subsided almost completely, but was followed by another, which came LL