DRABA McCallæ, Bull. Torr. Bot. Club, XXIX: 241.

Moose Mountain, Elbow River, Alta., No. 18,139, 1897; Summit of Pipestone Pass, Rocky Mt. Park, No. 64,442, 1904. (John Macoun.) Described from specimens collected by Mr. W. C. McCalla at Banff in 1899. This species belongs to the D. incana group but differs from that species in the elongated peduncle, long pedicels, short pubescent pod and large petals.

ARABIS COLLINSII, Fernald, Rhodora, vii: 32.

"Quickly distinguished from A. Holboellii by the loose hispidulous pubesence of the stem and pedicels, the smaller flowers and the very slender acutish pods." Collected on dry limestone conglomerate ledges, headland in the harbour of Bic, Rimouski Co, Que, July 18, 1904 (J. F. Collins & M. L. Fernald.)

Drosera rotundifolia, L. var. comosa, Fernald, Rhodora, vii: 9.

A dwarf variety of the common sundew with crimson or roseate instead of white flowers; the petals are sometimes foliaceous and the carpels are developed in maturity into green, glandular broadly obovate or oblate petioled leaves. Collected in abundance near the mouth of Grand River, Gaspé Co., Quebec., in 1904 by Messrs. J. F. Collins, M. L. Fernald and A. A. Pease. An examination of a large series of specimens of *D. rotundifolia* in our herbarium shows nothing approaching this variety.

SAXIFRAGA HIERACIFOLIA, Waldt and Kit.

Pond's Inlet, Lat. 72° 45', Cockburn Island. Aug 20th, 1904. (Dr L. E. Borden.)