BACTERIOLOGICAL FINDINGS IN TWENTY

Case No.	Brief History.	Origin and Nature of Material.	Microscopical Examina-
10	A most severe case. Rt. eibow and rt. hock swollen. Subcutaneous swellings on various parts of body.	which clotted.	terla.
11	A severe case. Aged seven days when first symptoms were shown. Lived for five days; right hip and right stifle involved.	Silght clotting.	Numerous Gram positive streptococci.
12	No history.	Fluid pus.	Numerous gram positive streptococci.
13	Foal had been ill for two weeks. Very weak. Right stifle very much enlarged.		Numerous pus cells, but no bacteria could be seen.
14		Aspirated from an abscess. Fairly thick yellow pus.	Numerous pus cells and long chains of Gram positive streptococci
15		Graylsh white fluid pus aspirated from abscess.	Many pus cells and numer- ous chains of Gram posi- tive streptococcus.
16		Aspirated from a joint. Rusty yellow thick pus.	Pus cells and chains of Gram positive strepto- cocci.
17	A severe case. Foal became lll on May 20th. 1st. A. Aspiration right hock joint, May 31st. 2nd. B. Aspiration right hock joint, June 5th. 3rd. D. Aspiration right hock joint, June 10th. Foal died on June 10th.	rlght hock joint, May 31st. B. Turbid yellow fluld, which clotted, from same joint June 5th	lsms. B. Lots of pus cells and Gram positive strepto-
18		Swab of pus from hock joint, which had been opened.	Mixture of Gram negative and positive bacilli and cocci.
19	Foal had been ill for about ten days. Very emaclated and weak. Left hock very swollen.	dlseased joint. Turbid	Numerous cells but no bacteria.