

At present the subject has been scarcely touched by the collector, and it is greatly to be regretted that so ardent a naturalist as Mr. Jameson should have had so few opportunities for following his studies, and that so small a portion of his collections should have reached this country.

RHOPALOCERA.

Fam. NYMPHALIDÆ.

Subfam. DANAINÆ.

1. AMAURIS VASHTI.

Danais vashti, Butl. Cist. Ent. i. p. i.

Amauris vashti, Butl. Lep. Ex. p. 54, t. 21. f. 1; H. G. Smith, P. Z. S. 1890, p. 467.

Hab. Nkalama R., April 18th. No. 63. "Very scarce; deep forest on river-bank."

One specimen, agreeing with the type from Old Calabar, and with other examples in our collection from the Cameroon Mountains.

2. AMAURIS NIAVIUS.

Papilio niavius, Linn. Mus. Ulr. p. 253; Clerck, Icon. t. 32. f. 2.

Hab. Yambuya Camp, Aruwimi River.

One example agreeing with others from various places on the West Coast.

3. AMAURIS EGIALEA.

Papilio egialea, Cram. Pap. Ex. t. 192. f. D.

Amauris egialea, H. G. Smith, P. Z. S. 1890, p. 467.

Hab. Near Mswata. No. 22. "Rather scarce. Distributed generally along the river."

One specimen.

4. AMAURIS DAMOCLES.

Papilio damocles, Pal. Beauv. Ins. Afr. et Am. p. 239, t. 6. ff. 3, a, b.

Amauris damocles, H. G. Smith, P. Z. S. 1890, p. 467.

Hab. Inkissi R., April 16th. No. 31. "Scarce, usually met with in deep shady forest."

A single specimen, with more white at the base of the second