

1. *Anthicus*, *Payk.*
 A. (*not determined.*) By sweeping herbage on the Mountain, June.
 2. Fam. *Meloidæ*.
 (See Proc. Acad. Nat. Sci. Phila., Vol. VI. p. 328.)
1. *Meloe*, *Linn.*
M. rugipennis, *Lec.* Common.
1. *Asclera*, *Schmidt.* (See Proc. Acad. Nat. Sci. Phila., Vol. VII. p. 20.)
 A. *ruficollis*, *Say.* Very abundant in blossoms of *Erythronium maculatum* on the Mountain, May 1857.
 4. Fam. *Melandryidæ*, *Leach.*
1. *Melandrya*, *Fabr.*
M. striata, *Say.* Under bark of dead stumps on the Mountain, June.
2. *Hypulus?* *Payk.*
 H. (*not determined.*) One specimen taken in the old Museum of the Natural History Society, in Little St. James Street, Aug. 1857.
 2. *Atrachelia*, *Westw.*
 1. Fam. *Cistelidæ*, *Leach.*
1. *Mycetocharus*, *Latr.*
M. (*not determined.*) Rare, July.
2. *Cistela*, *Fab.*
- C. *sericea*, *Say.* Abundant on blossoms of *Solidago* in August.
 2. Fam. *Diaperidæ*, *Stephens.*
1. *Diaperis*, *Geoffr.*
D. hydni, *Fabr.* Abundant in a species of *Boletus* on the Mountain in August and September.
2. *Oplocephala*, *Lap.*
O. bicornis, *Oliv.* Abundant as a fungus on decaying stumps on the Mountain, August to October.
3. *Bolitophagus*, *Fabr.*
B. cornutus, *Pz.* Abundant in *Boletus ignarius* on dead stumps on the Mountain, July.
 3. Fam. *Tenebrionidæ*, *Leach.*
2. *Tenebrio*, *Linn.*
T. molitor, *Linn.* Very common in old houses.
T. tenebrioides, *Beauv.* Under bark of dead stumps on the Mountain.
2. *Centronipus*, *Dej.*
C. calcaratus, *Fabr.* Under bark of dead stumps on the Mountain, October.
C. ? femoratus, *Fabr.* Common crawling on boarded paths, July and August.
3. *Ipthinus*, *Dej.*
I. Pennsylvanicus, *Geer.* Abundant under bark of dead trees, &c. on the Mountain and at St. Helen's Island.
4. *Upis*, *Fabr.*
U. reticulatus, *Say.* Numerous under bark of dead trees on the Mountain and at Laprairie.