

APPENDIX

RETURN of the Illuminating Power and Purity of Gas

INSPECTION OFFICE.	Illuminating Power.						Sulphur per		
	Highest.	Lowest.	Average.	Standard.	No. of times be- low Standard.	No. of Tests.	Highest	Lowest.	Average
	Candles.	Candles.	Candles.	Candles.			Grains.	Grains.	Grains.
<b>Galt—</b>									
July.....			25·31	16	0	1			
August.....			23·86	16	0	1			
September.....			20·34	16	0	1			
October.....			19·62	16	0	1			
November.....			19·30	16	0	1			
December.....			16·75	16	0	1			
January.....			17·78	16	0	1			
February.....			20·80	16	0	1			
March.....			18·20	16	0	1			
April.....			19·53	16	0	1			
May.....			19·44	16	0	1			
June.....			21·29	16	0	1			
					0	12			
<b>Guelph—</b>									
July.....			21·69	16	0	1			
August.....			21·10	16	0	1			
September.....			22·94	16	0	1			
October.....			21·23	16	0	1			
November.....			21·84	16	0	1			
December.....			21·24	16	0	1			
January.....			24·47	16	0	1			
February.....			22·56	16	0	1			
March.....			24·36	16	0	1			
April.....			23·88	16	0	1			
May.....			23·98	16	0	1			
June.....			21·86	16	0	1			
					0	12			
<b>Hamilton—</b>									
July.....			17·35	16	0	1			
August.....			16·81	16	0	1			
September.....			18·86	16	0	1			
October.....			17·85	16	0	1			
November.....			17·65	16	0	1			
December.....			17·13	16	0	1			
January.....			17·35	16	0	1			
February.....			17·50	16	0	1			
March.....			18·52	16	0	1			
April.....			16·81	16	0	1			
May.....			17·71	16	0	1			
June.....	17·65	17·00	17·37	16	0	3			
					0	14			