THE CANADIAN ENTOMOLOGIST.

Vertex short and broad, nearly twice wider than long, the anterior margin roundingly angulate, almost parallel with the emarginate posterior margin, vertex scarcely reaching the anterior margin of eyes, beyond which the gibbous front extends for about half the length of vertex. Face very broad and full, convex, with the median carina indistinct or wanting. Elytra broad and flaring, nervutes strong, weakly blackpunctured and beset with long white hairs.

Colour: vertex and front dark testaceous, the carinæ light yellow, pronotum light, scutellum light testaceous. Elytra milky subhyaline, nervures brownish at the base, then smoky, the cross nervures and apex margined with fuscous, the nervures clothed with long white hairs.

Male pygofers long and slender, deeply angularly notched with a small tooth. Styles as in *complectus*, but longer and leaving a large open space in the curve.

Described from seventeen specimens from Las Animas, Colo. Easily distinguished by the short head.

Myndus viridis, n. sp.

Form of *impunctatus* nearly, but smaller and narrower. Length: φ 5 mm, β 4.5 mm.; width 1.5 mm.

Vertex twice longer than wide, very slightly constricted before the middle, face as in *impunctatus*, the median carinæ of clypeus indistinct. Elytra long and narrow, without a stigma.

Colour: bright grass green, fading to yellowish-green in old specimens. Elytra subhyaline.

Male pygofers almost truncate posteriorly, with a triangular median tooth. Styles moderately long, their enlarged oval apices slightly overlapping.

Described from fourteen examples from Grand Junction and a pair from Ames, Iowa. The green colour will at once separate this from any described species.

Myndus impiger, n. sp.

Form and general appearance of *impunctatus*. Smaller and less plainly marked. Length \Im 4.5 mm.; width 1.5 mm.

Vertex rather broad, expanded at the base, where it is more than half as wide as its middle length, face broad, the median carinæ of clypeus distinct throughout. Elytra similar in shape to those of *impunctatus*, broader than in *viridis* and with a distinct stigma.

153