

Angioma. Angioma pigmentosum et atrophicum.

By **WILLIAM A. HARDAWAY, M. D., St. Louis.**

Angioma cavernosum. Lymphangioma.

By **F. A. HERSMAN, M. D., St. Louis.**

Tuberculosis cutis. Lupus vulgaris. Scrofuloderma. Lupus erythematosus.

By **JOHN T. BOWEN, M. D., Boston.**

Lepra: a, Tuberosa; b, Maculosa; c, Anæsthetica. Dermatitis venenata. Dermatitis medicamentosa.

By **PRINCE A. MORROW, M. D., New York.**

Carcinoma. Epithelioma. Rodent ulcer. Sarcoma.

By **JOHN A. FORDYCE, M. D., New York.**

Psorospermosis. Paget's disease.

By **M. B. HARTZELL, M. D., Philadelphia.**

Hyperæsthesia: a, Pruritus; b, Dermatalgia. Anæsthesia. Urticaria: Urticaria pigmentosa.

By **EDWARD B. BRONSON, M. D., New York.**

Mycosis fungoide. Frambæsia. Verruga Peruana. Furunculus orientalis (Aleppo boil).

By **W. HENRY BLANC, M. D., Sewanee, Tenn.**

Scabies. Sarcoptes scabei communis. Dermodex folliculorum. Pediculosis: a, Capitis; b, Corporis; c, Pubis. Leptus autumnalis. Pulex penetrans. Cimex lectularius. Filaria mediensis. Filaria sanguinis hominis. Cysticercus cellulosæ cutis. Echinococcus hydatid.

By **FREDERICK LEVISEUR, M. D., New York.**

COMPLETE IN THREE LARGE OCTAVO VOLUMES.

PRICE PER VOLUME,

Cloth, \$6.50; Sheep, \$7.50; Half Morocco, \$8.00.

Volume I now ready. Volumes II and III in press, and will be issued at intervals of about three months apart.

Orders taken for the complete work only.

D. APPLETON & CO., Publishers,

1, 3, and 5 BOND STREET, NEW YORK.