

ERRATA.

	PAGE.
For "Gororia" read "Gowrie,"	250
" "Surgeons" read "Surveyors,"	267
" "infusion" " "inversion,"	160
" "produce" " "production,"	16
" 330000 read 30000,	31
Insert a comma (,) after conduction,	11
	30
For .5375 = $\frac{7}{16}$ read .4375 = $\frac{7}{16}$	
" "Weight of lever 24 lbs. 8 oz.; valve 3 lbs. 8 oz.," read	36
" "Weight of lever 24 lbs. 8 oz.; valve 3 lbs. 6 oz.,"	37
Same sum, for 29 (25 + 41) read 29 (25 + 4),	39
For 5660 read 5760,	39
" 4636 $\times$ 82 read 4636 $\times$ 83	39
" 15 $\times$ 33 $\times$ 453 read 15 $\times$ 33 $\times$ 452	39
" "14," answer; in the flexure give greatest diameter, read 12,	40
" Circumferential tubes $\times$ h $\times$ No. tubes	

144

Circumferential tubes $\times$ L $\times$ No. tubes
read _____ = HS. 72

144

For $\frac{4 - 4\frac{1}{4} \times 100}{4} = 68\%$ read $\frac{4 - 1\frac{1}{4} \times 100}{4} = 68\%$ 203

For "member" read "number" of blades, 253

NOTE.—Pages in reference to the "S. B. Inspection Act (1882) of Canada" refer to the official issue of that "Act," but may be found in this volume by the number of section when given or known:

Example.—Page 25 SS. 4th (page 195 of "manual") = "Act" this volume, page 315.